



IRT IR DRYERS BY HEDSON

IRT 1 & 2 PrepCure

Dryers suitable for minor paint and panel work, as well as for applying and removing stickers. The dryers can either be used as hand-held dryer or be mounted on stand. Can cure all base and paint material and the on/off button is integrated in the handle and manual timer on the stand



REACH DIFFICULT AREAS

The stand has a timer that can be set to a maximum of 120 minutes. A holder on the stand allows for both vertical and horizontal drying making it easier and more ergonomically friendly



VERSITILE

These dryers are suitable for minor paint and panel work and difficult to reach areas, as well as for applying and removing stickers. Both dryers can either be used as hand-held dryers or be mounted on stands



INCREASE QUALITY

The gold-coated reflectors provide a more even heat distribution and a larger curing area than conventional reflectors, while they feature reduced power consumption. In turn, this increases productivity and raises the quality of the result of drying



TECHNICAL SPECIFICATION

IRT 1 PREPCURE

IRT 1 PrepCure - version 1 Part.no. 800429

IRT 1 PrepCure - version 2 Part.no. 800624

IRT 1 PrepCure - version 3 Part.no. 800431

IRT 1 PrepCure - version 4 Part.no. 800432

IRT 1 PrepCure - version 5 Part.no. 800428

IRT 1 PrepCure - version 6 Part.no. 800524

Shipping dimensions (handheld dryer, stand not included) 1 pcs cardboard box - 490*240*100, 2,5 kg

Frequency 50-60 Hz

Current 4 A

Output power 1 kW (one lamp)

Fuse 10 A

Stand height 1450 mm

Weight (handheld dryer, stand not included) 1,6 kg

Voltage - version 1 230V, 1PH, EU

Voltage - version 2 230V, 1PH, UK (UK plug)

Voltage - version 3 230V, 1PH, AUS & ARG type I

Voltage - version 4 100V, 1PH, JP

Voltage - version 5 110V, 1PH, NA (not ETL)

Voltage - version 6 110V, 1PH, NA ETL (fixed on stand - no timer)

IRT 2 PREPCURE

IRT 2 PrepCure - version 1 Part.no. 800433

IRT 2 PrepCure - version 2 Part.no. 800625

IRT 2 PrepCure - version 3 Part.no. 800472

IRT 2 PrepCure - version 4 Part.no. 800434

Shipping dimensions (handheld dryer, stand not included) 1 pcs cardboard box - 470*240*180, 3,8 kg

Frequency 50-60 Hz

Current 8A

Output power 2 kW (two lamps)

Fuse 10 A

Stand height 1450 mm

Voltage - version 1 230V, 1PH, EU

Voltage - version 2 230V, 1PH, UK (UK plug)

Voltage - version 3 230V, 1PH, AUS & ARG type I

Voltage - version 4 230V, 1PH, NA ETL (fixed on stand - no timer)

Weight (handheld dryer, stand not included) 3 kg

CONSUMABLES -



Lamp-IR 1kW 235V 360 U CPL



