



## DRESTER DYNAMIC TRIPLE BY HEDSON

### Convenient operation

The transfer of the solvents between the gun cleaner and the recycler is fully automated; the dirty, heavy and hazardous manual solvent handling is eliminated and at the same time the equipment and floor in the workshop sustain clean. Instantly after the transfer of solvents, access to clean solvent in the gun cleaner is available.

The system allows for the units to be placed either close together or in separate rooms up to 25 meters (subject to local fire legislation). The convenient operation of the Drester Dynamic Triple by Hedson system encourages to run the system often.

This keeps the solvent in the gun cleaner in better condition, resulting in improved gun cleaning performance. The consumption of solvent is reduced, the waste of solvent is kept to a minimum and costs are cut dramatically



### COST SAVINGS

Reduce the solvent consumption to save money and the environment



### TIME SAVING

Keep the spray guns cleaner and speed up the workflow



### SAFE AND CLEAN

The dirty and hazardous manual solvent handling is eliminated and keeps the workshop clean

---

## TECHNICAL SPECIFICATION

---

Drester RDX - Docking unit	Part.no. RDX2 (for all Drester Ace S/C, not inside DI2C/DG2C)
Shipment dimensions	
Drester RDX - Docking unit	Part.no. RDX-8012 (Drester Classic 2600, 3600 & 8000, DC 11 & 12)
Shipment dimensions	1 pcs on 1/2 pallet, 600*800 mm, 40 kg
Drester 120 - Recycler	Part.no. DR-120-A
Shipment dimensions	1 pcs on ½ pallet, 600*800 mm, 97 kg

### **DRESTER RDX (DOCKING UNIT, NEEDS TO BE CONNECTED TO DRESTER 120 AND ACE SOLVENT OR COMBO GUN CLEANER.)**

Weight	21 kg (46 lbs)
Height	700 mm (17,5")
Diameter	500 mm (19,5")
Compressed air needed	Clean, dry air at 3-10 bar
Solvent capacity	Max. 80 liters
Pump capacity	10 l/minutes
Liquid pressure	2 bar

### **DRESTER 120 (RECYCLER - CAN BE USED AS A STAND-ALONE PRODUCT, CONNECTED TO A SOLVENT OR COMBO GUN CLEANER.)**

Weight	67 kg (148 lbs)
Width	590 mm (23")
Height	1610 mm (63")
Max depth	120 mm (47")
Type of solvents distillable	Thinner type
Boiler capacity	12 litres
Residues discharge	Plastic bag
Condensation system	By air
Condensate material	Stainless steel
Time/cycle	3-4 hours
Voltage	200-240 V single Phase 50 or 60Hz
Electrical construction	Explosion proof

---

## CONSUMABLES

---

### **RECYCLE BAGS**

Recycle bags for waste handling  
Part.no. 11061

### **FLOCCULATION POWDER GUN CLEANERS**

Efficient cleaning of the  
waste water  
Part.no. R9211

### **AQUASOLVE**

Better cleaning performance, now with a new formula  
Part.no. 230120

---

**FILTERS GUN CLEANERS**

Filters for better cleaning performance  
Part.no. R8701