




DRESTER

HEDSON



MIXING ROOM EQUIPMENT





DRESTER GUN CLEANERS - THE ORIGINAL

Outstanding cleaning performance since 1978.
Durable and sustainable solutions.

- Certified and patented products with superior quality
- Swedish inventions satisfying customer needs
- 3 years warranty on diaphragm pumps
- ATEX approved
- Sustainable and durable solutions
- Offering the best working environment
- Manual or Automatic operation
- Approved by major spray gun suppliers

APPROVED BY



Manual



Automatic



Waterborne



Solvent

WATER-BORNE

These spray gun cleaners are suitable for water-borne cleaning and they all comply with all paint manufacturers systems regarding cleaning and waste handling.

PAGE 28

SOLVENT BASED

These spray gun cleaners are suitable for solvent based cleaning and they all fit the environment in which a spray gun cleaner operates.

PAGE 29

COMBINATION OF BOTH

These spray gun cleaners are suitable for both solvent-based and water borne cleaning

PAGE 32

**DRESTER BOXER****Superior gun cleaners to fit all the needs in the workshop**

The Drester Boxer series are equipped with a Auto box – a compact, effective and flexible washing compartment – with integrated fluid channels, which makes less-cluttered space. The power of the pump results in more efficient cleaning, meaning that less cleaning solvents are needed per spray gun. The Auto box is located at the back of the unit, allowing a spacious manual washing sink at the front.

A magnetic gun holder pulls the trigger to open the paint channel and fixates a gun in seconds, in one simple step. It fixates the spray gun in a position where the gun's air channels are protected, facing downwards, so there is no risk of solvent entering the air channels.

EQUIPPED WITH SMART AUTO-BOX**PATENTED MAGNETIC GUN HOLDER****3 YEARS WARRANTY ON PUMPS****FOOT-OPERATED PUMPS FOR HANDS-FREE OPERATION****DRESTER CLASSICS****Compact and user-friendly spray gun cleaners with outstanding cleaning performance**

The Drester Classics by Hedson have been on the market for decades, which says a lot about their performance and value for the money. They are still very high in demand and remain a reliable choice. It has been dominating the water-borne cleaning market, and with its robustness and user-friendliness it still has no equivalent. The automatic Classics, for solvent, takes gravity-fed guns as well as old-style suction-fed guns.

3 YEARS WARRANTY ON PUMPS**ROUND SINK WITH NO WELDING SEAMS FOR EASY MAINTENANCE****MANUAL AND/OR AUTOMATIC CLEANING****WASHES ALL TYPES OF GUNS - SUCTION OR GRAVITY FED GUNS****DRESTER X-SERIES****Reliable and sustainable spray gun cleaners with excellent cleaning performance**

The robust Drester X-series by Hedson are aimed towards workshops and industries with a heavy work load, designed with a welded stainless platform to ensure durable sustainability and a long life. They are designed with a welded stainless platform and washes all types of guns. Includes a compressed air dryer. Chose between manual, automatic or double compartments.

3 YEARS WARRANTY ON PUMPS**ROBUST AND SUSTAINABLE FOR HEAVY WORK LOAD****ADJUSTABLE WASH CYCLE, 1-4 MIN****SPRAY GUN STORAGE, UP TO 7 GUN STORAGE**



DRESTER BOXER AQUA

Compact size spray gun cleaner with two working stations

- Automatic and manual cleaning
- Built in filtration and flocculation to reduce waste cost
- Flow-through brush, which is fed with recycled water



DIMENSIONS

Height	1510 mm (59.5")
Width	835 mm (33.0")
Max depth	650 mm (25.5")
Depth at the floor	610 mm (24.0")
Weight	65 kg (140 lb)



DRESTER BOXER AQUA

Compressed air needed	Extraction capacity	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	80 mm (3.15")	DB22A (Blue) DI22A (Stainless steel)

DRESTER CLASSIC 1000

Manual spray gun cleaner with brush and high pressure rinse gun

- Prepared for different set-ups depending on paint brand
- Foot operated for hands-free operation
- Built-in waste recycling system



DIMENSIONS

Height	1220 mm (48")
Diameter	Ø 590 mm (23")
Weight	24 kg

DRESTER 1000

Compressed air needed	Flow through brush	Liquid volume of machine	Part.no.
5-12 bar (80-180 psi) 100 l/min (4 cfm)	1,5-2 l/min	35 l / 10 gallons	1000



DRESTER CLASSIC 1050

Manual spray gun cleaner with re-circulating water

- Pre-wash brush and a rinse gun fed with recycled water
- Manual cleaning with brush and high pressure rinse gun
- Quick connect whip line for blowing out the spray gun paint channel



DIMENSIONS

Height	1050 mm (41")
Diameter	Ø 590 mm (23")
Weight	21 kg

DRESTER 1050

Compressed air needed	Flow through brush	Liquid volume of machine	Part.no.
5-12 bar (80-180 psi) 100 l/min (4 cfm)	1,5-2 l/min	35 l / 10 gallons	1050



DRESTER BOXER DOUBLE SOLVENT

Compact size spray gun cleaner with two working stations

- Automatic cleaning with re-circulating solvent
- Equipped with a patented Auto box
- Flow-through brush fed with re-circulation solvent



DIMENSIONS

Height	1510 mm (59.5")
Width	835 mm (33.0")
Max depth	650 mm (25.5")
Depth at the floor	610 mm (24.0")
Weight	75 kg (165 lb)



DRESTER BOXER DOUBLE SOLVENT

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 150 l/min (6 cfm)	500 m³/h (310 cfm)	125 mm (5")	DB22S (Blue) DI22S (Stainless steel)

DRESTER BOXER QUATTRO SOLVENT

Full-size spray gun cleaner with four working stations

- Working stations can be used simultaneously
- Equipped with a patented Auto box
- Foot-operated pumps for hands-free operation



DIMENSIONS

Height	1510 mm (59.5")
Width	1185 mm (33.0")
Max depth	650 mm (25.5")
Depth at the floor	610 mm (24.0")
Weight	105 kg (230 lb)



DRESTER BOXER QUATTRO SOLVENT

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 150 l/min (6 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660)	800 m³/h (500 cfm)	125 mm (5")	DB44S (Blue) DI44S (Stainless steel)

DRESTER BOXER COMPACT

User-friendly spray gun cleaner with small footprint

- Automatic wash compartment with a automatic/manual clean rinse
- For solvent or water-borne solvent
- Fixed rinse nozzle fed with clean solvent



DIMENSIONS

Height	1830 mm (72")
Width	590 mm (23")
Weight	30 kg (66 lb)

DRESTER BOXER COMPACT 11

Compressed air needed	Ventilation capacity required	Extractor diameter	Clean Rinse	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	180 mm (3.15")	Manual	DC11 (Blue) DC11-I (Stainless steel)
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	180 mm (3.15")	Automatic	DC12 (Blue) DC12-I (Stainless steel)





DRESTER CLASSIC 2600

Efficient and solvent saving manual clean rinse

- Manual cleaning with flow-through brush
- Foot operated for hands-free operation
- Manual clean rinse with venturi nozzle



DIMENSIONS

Height	990 mm (39")
Diameter	Ø 563 mm (22")
Weight	30 kg (66 lb)

DRESTER CLASSIC 2600

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
5-12 bar (80-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	125 mm (5")	2600 (Blue) 2600-INOX (Stainless steel)



DRESTER CLASSIC 3600

Automatic spray gun cleaner with manual clean rinse

- Automatic cleaning with re-circulating solvent
- Manual rinse with clean solvent
- Equipped with air pressure regulator and water trap for durability



DIMENSIONS

Height	990 mm (39")
Diameter	Ø 563 mm (22")
Weight	30 kg (66 lb)

DRESTER 3600

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	125 mm (5")	3600 (Blue) 3600-INOX (Stainless steel)



DRESTER CLASSIC 8000

Automatic spray gun cleaner with automatic and manual clean rinse

- Can be used with conventional or water-based paints
- Automatic cleaning with re-circulating solvent
- Automatic or manual rinse with clean solvent



DIMENSIONS

Height	990 mm (39")
Diameter	Ø 563 mm (22")
Weight	33 kg (73 lb)

DRESTER 8000

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	125 mm (5")	8000-A 8000-B (with collecting tray base)



DRESTER X-SERIES MANUAL

Manual spray gun cleaner

- One manual wash compartment with re-circulating solvent
- Solvent flow is activated by a foot pedal
- Equipped with a solvent brush and compressed air dryer

DIMENSIONS

Height	1510 mm (59.5")
Width	835 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	75 kg (165 lb)



DRESTER X-SERIES MANUAL

Compressed air needed	Ventilation capacity required	Extractor diameter	Max. dum size	Part.no.
7-12 bar (110-180 psi) 90 l/min. (3 cfm) 1 pump 370 l/min (14 cfm) incl. AIRVENT 11660 in operation	500 m³/h (310 cfm)	125 mm (5")	60 litres	DIX11M

DRESTER X-SERIES AUTOMATIC

Automatic spray gun cleaner

- One automatic wash compartment for solvent or water-borne solvent
- Hand-switch operated
- Equipped with timer and compressed air dryer

DIMENSIONS

Height	1510 mm (59.5")
Width	835 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	75 kg (165 lb)



DRESTER X-SERIES MANUAL

Compressed air needed	Ventilation capacity required	Extractor diameter	Max. dum size	Part.no.
7-12 bar (110-180 psi) 90 l/min. (3 cfm) 1 pump 370 l/min (14 cfm) incl. AIRVENT 11660 in operation	500 m³/h (310 cfm)	125 mm (5")	60 litres	DIX11

DRESTER X-SERIES DOUBLE

Automatic and manual spray gun cleaner

- Automatic wash compartment for solvent or water-borne solvent
- Manual wash compartment cleaning of primer and filler tools, scrapers etc.
- Equipped with timer, solvent brush and compressed air dryer

DIMENSIONS

Height	1510 mm (59.5")
Width	1185 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	95 kg (209 lb)



DRESTER X-SERIES DOUBLE

Compressed air needed	Ventilation capacity required	Extractor diameter	Max. dum size	Part.no.
7-12 bar (110-180 psi) 180 l/min. (6 cfm) 2 pumps 460 l/min (17 cfm) incl. AIRVENT 11660 in operation	600 m³/h (380 cfm)	125 mm (5")	60 litres	DIX22





DRESTER BOXER DOUBLE COMBO

Spray gun cleaner with two working stations

- Automatic wash compartment with integrated fluid channels
- Manual washing sink with a flow-through brush and a clean rinse nozzle
- Pneumatic extractor (Airvent) included



DIMENSIONS

Height	1510 mm (59.5")
Width	1185 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	65 kg (210 lb)

DRESTER BOXER DOUBLE COMBO

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 250 l/min. (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	125 mm (5")	DB22C (Blue) DI22C (stainless steel)



DRESTER BOXER TRIPLE COMBO

Spray gun cleaner with three working stations

- Automatic wash compartment with integrated fluid channels
- Two manual washing sink with a flow-through brush and a clean rinse nozzle
- Automatic rinsing with clean solvent



DIMENSIONS

Height	1510 mm (59.5")
Width	1185 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	95 kg (210 lb)

DRESTER BOXER TRIPLE COMBO

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660)	500 m³/h (310 cfm)	125 mm (5")	DB33C (Blue) DI33C (stainless steel)



DRESTER BOXER QUATTRO COMBO

Spray gun cleaner with four working stations

- Two automatic wash compartment with integrated fluid channels
- Two manual washing sink with a flow-through brush and a clean rinse nozzle
- Automatic rinsing with clean solvent or water



DIMENSIONS

Height	1510 mm (59.5")
Width	1185 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	105 kg (230 lb)

DRESTER BOXER QUATTRO COMBO

Compressed air needed	Ventilation capacity required	Extractor diameter	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660)	800 m³/h (310 cfm)	125 mm (5")	DB44C (Blue) DI44C (stainless steel)



DRESTER QUICKRINSE

Efficient and user friendly pneumatic rinsing spray gun cleaner for use with disposable cup systems

The Drester QuickRinse by Hedson has been developed to provide quick, thorough spray gun cleaning for water or solvent paints, especially for use with disposable cup system.

Installation is simple and easy, either with the use of magnets for attachment to the booth or mixing room walls or more permanently with zip screws. Save time by keeping the spray gun cleaner close to the paint job.

- For all disposable cup system
- Perfectly clean spray gun in 10 seconds gives time and cost savings
- High-pressure cleaning for safe colour changes

DRESTER QR-10

Manual spray gun cleaner for water-borne paints

- Can be placed inside the spray booth
- Equipped with a diaphragm pump
- Automatic rinsing with clean solvent or water



DIMENSIONS

Height	645 mm (25.5")
Width	535 mm (21.0")
Depth	263 mm (10.5")
Weight	12,5 kg (27 lb)

DRESTER QR-10				
Compressed air needed	Pump capacity	Permitted solvents	Liquid volume of machine	Part.no.
5-12 bar (80-180 psi) 100 l/min (4 cfm)	2 l/min	Water or water-borne solvents	5+5 litre	QR-10



DRESTER QR-20

Manual spray gun cleaner for solvent based paints

- Also designed for cleaning with water, or water-based solvents
- Easy installation anywhere in the workshop



DIMENSIONS

Height	461 mm (18.1")
Width	306 mm (12.1")
Depth	273 mm (10.8")
Weight	6 kg (13.2 lb)

DRESTER QR-20				
Compressed air needed	Pump capacity	Permitted solvents	Liquid volume of machine	Part.no.
5-12 bar (80-180 psi) 100 l/min (4 cfm)	2 l/min	Solvent and solvent mixtures	Amount of wash fluid depending on chosen size of container	QR-20



DRESTER QR-TT

Manual spray gun cleaner for both water-borne and solvent based paints

- Can be placed inside the spray booth if water-borne solvents are used
- Easy installation anywhere in the workshop



DIMENSIONS

Height	667 mm (26.3")
Width	565 mm (22.2")
Depth	264 mm (10.4")
Weight	16 kg (32 lb)

DRESTER QR-TT				
Compressed air needed	Pump capacity	Permitted solvents	Liquid volume of machine	Part.no.
5-12 bar (80-180 psi) 100 l/min (4 cfm)	2 l/min	LEFT BOX: Water or water-based solvents RIGHT BOX: Solvents and solvent mixtures	3 l/solvent (amount of water depending on chosen size of container)	QR-TT





DRESTER DYNAMIC TRIPLE

Better spray gun cleaning performance with an environmentally friendly closed system of handling solvents

The transfer of the solvents between the spray gun cleaner and the recycler is fully automated; the dirty, heavy and hazardous manual solvent handling is eliminated and at the same time the equipment and floor in the workshop stays clean. Instantly after the transfer of solvents, access to clean solvent in the spray gun cleaner is available.

The system allows for the units to be placed either close together or in separate rooms up to 25 meters (subject to local fire legislation).

The convenient operation of the Drester Dynamic Triple by Hedson system encourages to run the system often.

This keeps the solvent in the spray gun cleaner in better condition, resulting in improved spray gun cleaning performance. The consumption of solvent is reduced, the waste of solvent is kept to a minimum and costs are cut dramatically.

- Reduced solvent consumption
- Improved spray gun cleaning performance
- Fully automated transfer between the spray gun cleaner and the recycler



TO SETUP A **DRESTER DYNAMIC TRIPLE** YOU NEED THE FOLLOWING UNITS

- 1 DRESTER SPRAY GUN CLEANER**
- 2 DOCKING UNIT**
- 3 RECYCLER**

DRESTER RDX - DOCKING UNIT

- For solvent transfer in the Drester Dynamic Triple
- Includes an overflow protection.
- Can be placed inside the spray gun cleaners

DIMENSIONS

Height	590 mm (23")
Width	1610 mm (63")
Max. Depth	120 mm (47")
Weight	67 kg (148 lb)



DRESTER DOCKING UNIT

Compressed air needed	Solvent capacity	Pump capacity	Liquid pressure	Part.no.
Clean, dry air at 3-10 bar	Max. 80 litres	10 l/minutes	2 bar	RDX-8012 Drester 2600, 3600 & 8000 RDX-9012 Drester Boxer Solvent, X-Series Manual

DRESTER 120 - RECYCLER

- A solvent recycler in the Drester Dynamic Triple
- Recovers and recycles the solvent used in the spray gun cleaner
- Can also be used as a stand-alone product

DIMENSIONS

Height	700 mm (17.5")
Diameter	Ø 500 mm (19.5")
Weight	21 kg (46 lb)

DRESTER RECYCLER

Type of solvents distillable	Boiler capacity	Residues discharge	Condensation system	Condensate material	Time/cycle	Voltage	Part.no.
Thinner type	12 litres	Plastic bag	By air	Stainless steel	3-4 hours	200-240 V single Phase 50 or 60Hz	DR-120-A



DRESTER WASTE MANAGEMENT

Safe and efficient way to get rid of paint residues and waste in the workshop

- Two compartments for easy separation of waste
- Equipped with two funnels with grids, for cans to be left to drain
- Flexible usage



DRESTER WM-90-1

Two compartments for liquid waste



DRESTER WM-90-2

One compartment for liquid and one for solid waste



DRESTER WM-90-3

Two compartments for solid waste



DRESTER WASTE MANAGEMENT

Compressed air needed	Extractor flange diameter	Part.no.
7-12 bar (110-180 psi) 450 l/min (16 cfm) (if extraction is desired)	125 mm (5") with flange (part.no. 10187)	WM-90-1 WM-90-2 WM-90-3

DIMENSIONS

Height	1025 mm (40")
- with hood	1470 mm (58")
- with hood & airvent	2230 mm (89")
Width	780 mm (31")
Depth at the floor	570 mm (23")
Weight	42 kg (x lb)

DRESTER MIXING TABLE

Keeps the mixing room structured

- Smart storage which gives efficient work flow
- Basic model with one shelf underneath
- Available in powder coated or stainless finish



DRESTER MIXING TABLE

Airvent diameters		Weight	Width	Height	Max. depth	Part.no.	
14010	Ø100 mm	Basic model	30,0 kg	1200 mm	Basic model	930 mm	565 mm MT-120 (powder coated)
14020/14040	Ø125 mm	with slot extraction & airvent	36,5 kg	With slot extraction	1110 mm		
		with hood & airvent	45,0 kg	With hood	1470 mm		
				Working height	905 mm		

HERKULES LACKY TABLE

Table with a lot of storage space suitable for the mixing room

- Storage space for painting materials and tools
- Lowered working surface
- Outflow tunnel and optimum solvent extraction

HERKULES LACKY TABLE

Width	Overall Height	Depth	Part.no.
1200 mm	1395 mm	650 mm	LT-05 ¹
1800 mm	1395 mm	650 mm	LT-06 ¹



¹ Paper roll holder and extraction system available as accessories.



DRESTER SPRAY GUN CLEANERS

Basic features

	SOLVENT		AQUA	COMBO			COMPACT	
	DB22S	DB44S	DB22A	DB22C	DB33C	DB44C	DC11	DC12
Unique magnetic gun holder, patent approved	•	•	•	•	•	•	•	•
Hands-free operation, foot-pedal operated	•	•	•	•	•	•	•	•
Optimized placements of nozzles, for superior cleaning	•	•	•	•	•	•	•	•
Funnel for blow-out	•	•	•	•	•	•	•	•
Air gun for drying	•	•	•	•	•	•	•	•
Air supply line	•	•	•	•	•	•	•	•
3-year pump warranty	•	•	•	•	•	•	•	•
Available with stainless cabinet	•	•	•	•	•	•	•	•
ATEX category	2	2	2	2	2	2	2	2
Automatic cleaning with re-circulating solvent	•	•		•	•	•	•*	•
Automatic rinsing with clean solvent	•	•			•	•		•
Automatic cleaning with re-circulating water-borne solution			•			•	•*	
Automatic rinsing with clean water			•			•		
Flow-through brush fed with re-circulating solvent	•	•			•	•		
Flow-through brush fed with re-circulating water-borne solution			•	•	•	•		
Hand-held rinse nozzle fed with clean solvent	•	•			•	•		
Fixed rinse nozzle fed with clean solvent				•			•	•
Hand-held rinse nozzle fed with clean water			•	•	•	•		
Pneumatic extractor (Airvent) included			•	•			•	•
Extraction hood; use Airvent, Minivent or central extraction	•	•			•	•		
No. of pumps	2	4	2	2	3	4	1	2
Can be connected to Drester recycler through a Docking unit (RDX)	•	•		•**	•	•	•	•
Rinse gun for high pressure water cleaning of paint channels			•	•	•	•		
Rinse gun can be set up to be fed with recycled water or tap water			•			•		
Optional tap water kit, to feed tap water through rinse gun				•	•			
Automatic agitation when flocculating			•	•	•	•		
Dual filter system for unsurpassed efficiency when recycling water			•	•	•	•		
Automatic evacuation of filtrate container			•			•		

* DC11 can be used for automatic cleaning with either solvent or waterborne solvent, such as Drester AquaSolve
 ** RDX must be placed outside of the cabinet

DRESTER SPRAY GUN CLEANERS

Basic features

	CLASSIC					X-SERIES		
	1000	1050	2600	3600	8000	Manual	Auto	Double
Manual wash with re-circulating solvent/recycled water	•	•	•			•		•
Manual clean rinse	•	•	•	•	•	•	•	•
Foot-pedal operated						•		
Hand-switch operated							•	•
Air connection and funnel for spray out			•	•	•	•	•	•
Air gun for drying spray gun		•	•			•	•	•
Extraction unit (Airvent) included			•	•	•	DIX11M-A	DIX11-A	DIX22-A
Number of pumps	1	1	1	1	2	1	1	2
3-year warranty on diaphragm pumps	•	•	•	•	•	•	•	•
Can be connected to Drester 120 with the Docking Unit RDX			•	•	•	•	•	•
Can be used with water-borne paints	•	•			•	•	•	•
Specifically adapted for all water-borne paint systems	•	•						
Cleaning brush	•	•	•			•	•	•
Rinse gun with nozzle for high pressure cleaning of paint channel	•	•						
Automatic agitation during flocculation	•	•						
Dual filter system for separation of paint sludge	•	•						
Automatic evacuation of filtrate container	•							
Nozzle for quick cleaning of paint channels			•					
ATEX category	3	3	2	2	2	2	2	2

DRESTER CONSUMABLES

FILTERS	
Part.no.	R8701 - Main filter (standard) R8702 - Pre-filter (always to be used) Delivered in 5 pcs.
TO BE USED IN FOLLOWING DRESTER GUN CLEANERS	
Part.no.	Description
DB22A	Drester Boxer Aqua
DB22C	Drester Boxer Double Combo
DB33C	Drester Boxer Triple Combo
DB44C	Drester Boxer Quattro Combo
1000	Drester Classics 1000
1050	Drester Classics 1050

AQUASOLVE	
Part.no.	230120 Delivered in 1 L x 12 pcs
TO BE USED IN FOLLOWING DRESTER GUN CLEANERS	
Part.no.	Description
DB22A	Drester Boxer Aqua
DB22C	Drester Boxer Double Combo
DB33C	Drester Boxer Triple Combo
DB44C	Drester Boxer Quattro Combo
1000	Drester Classics 1000
1050	Drester Classics 1050
QR-10	Drester QuickRinse, water
QR-TT	Drester QuickRinse, water & solvent



FLOCCULATION POWDER	
Part.no.	9211 Delivered in can / 1,5 kg.
TO BE USED IN FOLLOWING DRESTER GUN CLEANERS	
Part.no.	Description
DB22A	Drester Boxer Aqua
DB22C	Drester Boxer Double Combo
DB33C	Drester Boxer Triple Combo
DB44C	Drester Boxer Quattro Combo
1000	Drester Classics 1000
1050	Drester Classics 1050

WE ARE HERE FOR YOU!

Customer Service

Orders SE

Orders DE

General inquiries SE

General inquiries DE

Technical support SE

Technical support DE

order.a@hedson.com

bestellung@hedson.com

info@hedson.com / info@hedson.se

info.de@hedson.com

support@hedson.com

service.de@hedson.com

Sales - Germany, Austria, Switzerland and the Netherlands

Jos Keijenberg, Sales leader & NL

Alex Kohl, West

Michael Eismann, Northeast

Hans-Joachim Draband, North

Hans-Juergen Dollmann, DE Southwest & CH

Sven Janssen, Southeast & AT

jos.keijenberg@hedson.com

alex.kohl@hedson.com

michael.eismann@hedson.com

hans-joachim.draband@hedson.com

hans-juergen.dollmann@hedson.com

sven.janssen@hedson.com

Sales - France

Philippe Dupas, Sales Leader

Louis-Noël Chasseriaud, North

Olivier Bouillet, South

philippe.dupas@hedson.com

louis-noel.chasseriaud@hedson.com

olivier.bouillet@hedson.com

Sales - USA & Canada

Mike Bertrand

Shelley Featherstone

Colin Hammacott

mike.bertrand@hedson.com

shelley.featherstone@hedson.com

colin.hammacott@hedson.com

Sales - Nordics, Eastern Europe & APAC

Niklas Johansson, Sales Leader

Eva Löfgren, Nordics

Magnus Lojander, Nordics & UK

Janusz Deneka, Eastern Europe

Carlos Herrera, Spain

Gulsha Råjavan, MEA & Southern Europe

niklas.johansson@hedson.com

eva.lofgren@hedson.com

magnus.lojander@hedson.com

janusz.deneka@hedson.com

carlos.herrera@hedson.com

gulsha.rajavan@hedson.com

Sales - China, Latin America & South America

Juan Alloza

juan.alloza@hedson.com