




**DRESTER**

**HEDSON**



## **MIXING ROOM EQUIPMENT**





## DRESTER GUN CLEANERS - THE ORIGINAL

Outstanding cleaning performance since 1978.  
Durable and sustainable solutions.

- Certified and patented products with superior quality
- Swedish inventions satisfying customer needs
- 3 years warranty on diaphragm pumps
- ATEX approved
- Sustainable and durable solutions
- Offering the best working environment
- Manual or Automatic operation
- Approved by major spray gun suppliers

### APPROVED BY



Manual



Automatic



Waterborne



Solvent

### WATER-BORNE

These spray gun cleaners are suitable for water-borne cleaning and they all comply with all paint manufacturers systems regarding cleaning and waste handling.

PAGE 28

### SOLVENT BASED

These spray gun cleaners are suitable for solvent based cleaning and they all fit the environment in which a spray gun cleaner operates.

PAGE 29

### COMBINATION OF BOTH

These spray gun cleaners are suitable for both solvent-based and water borne cleaning

PAGE 32

**DRESTER BOXER****Superior gun cleaners to fit all the needs in the workshop**

The Drester Boxer series are equipped with a Auto box – a compact, effective and flexible washing compartment – with integrated fluid channels, which makes less-cluttered space. The power of the pump results in more efficient cleaning, meaning that less cleaning solvents are needed per spray gun. The Auto box is located at the back of the unit, allowing a spacious manual washing sink at the front.

A magnetic gun holder pulls the trigger to open the paint channel and fixates a gun in seconds, in one simple step. It fixates the spray gun in a position where the gun's air channels are protected, facing downwards, so there is no risk of solvent entering the air channels.

**EQUIPPED WITH SMART AUTO-BOX****PATENTED MAGNETIC GUN HOLDER****3 YEARS WARRANTY ON PUMPS****FOOT-OPERATED PUMPS FOR HANDS-FREE OPERATION****DRESTER CLASSICS****Compact and user-friendly spray gun cleaners with outstanding cleaning performance**

The Drester Classics by Hedson have been on the market for decades, which says a lot about their performance and value for the money. They are still very high in demand and remain a reliable choice. It has been dominating the water-borne cleaning market, and with its robustness and user-friendliness it still has no equivalent. The automatic Classics, for solvent, takes gravity-fed guns as well as old-style suction-fed guns.

**3 YEARS WARRANTY ON PUMPS****ROUND SINK WITH NO WELDING SEAMS FOR EASY MAINTENANCE****MANUAL AND/OR AUTOMATIC CLEANING****WASHES ALL TYPES OF GUNS - SUCTION OR GRAVITY FED GUNS****DRESTER X-SERIES****Reliable and sustainable spray gun cleaners with excellent cleaning performance**

The robust Drester X-series by Hedson are aimed towards workshops and industries with a heavy work load, designed with a welded stainless platform to ensure durable sustainability and a long life. They are designed with a welded stainless platform and washes all types of guns. Includes a compressed air dryer. Chose between manual, automatic or double compartments.

**3 YEARS WARRANTY ON PUMPS****ROBUST AND SUSTAINABLE FOR HEAVY WORK LOAD****ADJUSTABLE WASH CYCLE, 1-4 MIN****SPRAY GUN STORAGE, UP TO 7 GUN STORAGE**



## DRESTER BOXER AQUA

Compact size spray gun cleaner with two working stations

- Automatic and manual cleaning
- Built in filtration and flocculation to reduce waste cost
- Flow-through brush, which is fed with recycled water



### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 835 mm (33.0")  |
| Max depth          | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24.0")  |
| Weight             | 65 kg (140 lb)  |




### DRESTER BOXER AQUA

| Compressed air needed  | Extraction capacity                | Extractor diameter | Part.no.                |
|------------------------|------------------------------------|--------------------|-------------------------|
| 7-12 bar (110-180 psi) | 140 m³/h / 82 cfm (15 m extension) | 80 mm (3.15")      | DB22A (Blue)            |
| 250 l/min (9 cfm)      | 180 m³/h / 106 cfm (5 m extension) |                    | DI22A (Stainless steel) |

## DRESTER CLASSIC 1000

Manual spray gun cleaner with brush and high pressure rinse gun

- Prepared for different set-ups depending on paint brand
- Foot operated for hands-free operation
- Built-in waste recycling system



### DIMENSIONS

|          |                |
|----------|----------------|
| Height   | 1220 mm (48")  |
| Diameter | Ø 590 mm (23") |
| Weight   | 24 kg          |

### DRESTER 1000

| Compressed air needed | Flow through brush | Liquid volume of machine | Part.no. |
|-----------------------|--------------------|--------------------------|----------|
| 5-12 bar (80-180 psi) | 1,5-2 l/min        | 35 l / 10 gallons        | 1000     |
| 100 l/min (4 cfm)     |                    |                          |          |



## DRESTER CLASSIC 1050

Manual spray gun cleaner with re-circulating water

- Pre-wash brush and a rinse gun fed with recycled water
- Manual cleaning with brush and high pressure rinse gun
- Quick connect whip line for blowing out the spray gun paint channel



### DIMENSIONS

|          |                |
|----------|----------------|
| Height   | 1050 mm (41")  |
| Diameter | Ø 590 mm (23") |
| Weight   | 21 kg          |

### DRESTER 1050

| Compressed air needed | Flow through brush | Liquid volume of machine | Part.no. |
|-----------------------|--------------------|--------------------------|----------|
| 5-12 bar (80-180 psi) | 1,5-2 l/min        | 35 l / 10 gallons        | 1050     |
| 100 l/min (4 cfm)     |                    |                          |          |



## DRESTER BOXER DOUBLE SOLVENT

Compact size spray gun cleaner with two working stations

- Automatic cleaning with re-circulating solvent
- Equipped with a patented Auto box
- Flow-through brush fed with re-circulation solvent



### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 835 mm (33.0")  |
| Max depth          | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24.0")  |
| Weight             | 75 kg (165 lb)  |



### DRESTER BOXER DOUBLE SOLVENT

| Compressed air needed                       | Ventilation capacity required | Extractor diameter | Part.no.                                |
|---|-------------------------------|--------------------|---|
| 7-12 bar (110-180 psi)<br>150 l/min (6 cfm) | 500 m³/h (310 cfm)            | 125 mm (5")        | DB22S (Blue)<br>DI22S (Stainless steel) |

## DRESTER BOXER QUATTRO SOLVENT

Full-size spray gun cleaner with four working stations

- Working stations can be used simultaneously
- Equipped with a patented Auto box
- Foot-operated pumps for hands-free operation



### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 1185 mm (33.0") |
| Max depth          | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24.0")  |
| Weight             | 105 kg (230 lb) |



### DRESTER BOXER QUATTRO SOLVENT

| Compressed air needed  | Ventilation capacity required | Extractor diameter | Part.no.                                   |
|--|-------------------------------|--------------------|--|
| 7-12 bar (110-180 psi) 150 l/min<br>(6 cfm) (450 l/min (16 cfm)<br>with DRESTER AIRVENT 11660) | 800 m³/h (500 cfm)            | 125 mm (5")        | DB44S (Blue)<br>DI44S<br>(Stainless steel) |

## DRESTER BOXER COMPACT

User-friendly spray gun cleaner with small footprint

- Automatic wash compartment with a automatic/manual clean rinse
- For solvent or water-borne solvent
- Fixed rinse nozzle fed with clean solvent



### DIMENSIONS

|        |               |
|--------|---------------|
| Height | 1830 mm (72") |
| Width  | 590 mm (23")  |
| Weight | 30 kg (66 lb) |

### DRESTER BOXER COMPACT 11

| Compressed air needed                       | Ventilation capacity required  | Extractor diameter | Clean Rinse | Part.no.                                |
|---|--|--------------------|-------------|---|
| 7-12 bar (110-180 psi)<br>250 l/min (9 cfm) | 140 m³/h / 82 cfm (15 m extension)<br>180 m³/h / 106 cfm (5 m extension) | 180 mm (3.15")     | Manual      | DC11 (Blue)<br>DC11-I (Stainless steel) |
| 7-12 bar (110-180 psi)<br>250 l/min (9 cfm) | 140 m³/h / 82 cfm (15 m extension)<br>180 m³/h / 106 cfm (5 m extension) | 180 mm (3.15")     | Automatic   | DC12 (Blue)<br>DC12-I (Stainless steel) |





## DRESTER CLASSIC 2600

### Efficient and solvent saving manual clean rinse

- Manual cleaning with flow-through brush
- Foot operated for hands-free operation
- Manual clean rinse with venturi nozzle



#### DIMENSIONS

|          |                |
|----------|----------------|
| Height   | 990 mm (39")   |
| Diameter | Ø 563 mm (22") |
| Weight   | 30 kg (66 lb)  |

#### DRESTER CLASSIC 2600

| Compressed air needed                      | Ventilation capacity required  | Extractor diameter | Part.no.                                   |
|--|--|--------------------|--|
| 5-12 bar (80-180 psi)<br>250 l/min (9 cfm) | 140 m³/h / 82 cfm (15 m extension)<br>180 m³/h / 106 cfm (5 m extension) | 125 mm (5")        | 2600 (Blue)<br>2600-INOX (Stainless steel) |



## DRESTER CLASSIC 3600

### Automatic spray gun cleaner with manual clean rinse

- Automatic cleaning with re-circulating solvent
- Manual rinse with clean solvent
- Equipped with air pressure regulator and water trap for durability



#### DIMENSIONS

|          |                |
|----------|----------------|
| Height   | 990 mm (39")   |
| Diameter | Ø 563 mm (22") |
| Weight   | 30 kg (66 lb)  |

#### DRESTER 3600

| Compressed air needed                       | Ventilation capacity required  | Extractor diameter | Part.no.                                   |
|---|--|--------------------|--|
| 7-12 bar (110-180 psi)<br>250 l/min (9 cfm) | 140 m³/h / 82 cfm (15 m extension)<br>180 m³/h / 106 cfm (5 m extension) | 125 mm (5")        | 3600 (Blue)<br>3600-INOX (Stainless steel) |



## DRESTER CLASSIC 8000

### Automatic spray gun cleaner with automatic and manual clean rinse

- Can be used with conventional or water-based paints
- Automatic cleaning with re-circulating solvent
- Automatic or manual rinse with clean solvent



#### DIMENSIONS

|          |                |
|----------|----------------|
| Height   | 990 mm (39")   |
| Diameter | Ø 563 mm (22") |
| Weight   | 33 kg (73 lb)  |

#### DRESTER 8000

| Compressed air needed                       | Ventilation capacity required  | Extractor diameter | Part.no.                                     |
|---|--|--------------------|--|
| 7-12 bar (110-180 psi)<br>250 l/min (9 cfm) | 140 m³/h / 82 cfm (15 m extension)<br>180 m³/h / 106 cfm (5 m extension) | 125 mm (5")        | 8000-A<br>8000-B (with collecting tray base) |



## DRESTER X-SERIES MANUAL

### Manual spray gun cleaner

- One manual wash compartment with re-circulating solvent
- Solvent flow is activated by a foot pedal
- Equipped with a solvent brush and compressed air dryer

#### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 835 mm (33")    |
| Max. depth         | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24")    |
| Weight             | 75 kg (165 lb)  |



#### DRESTER X-SERIES MANUAL

| Compressed air needed  | Ventilation capacity required | Extractor diameter | Max. dum size | Part.no. |
|--|-------------------------------|--------------------|---------------|----------|
| 7-12 bar (110-180 psi)<br>90 l/min. (3 cfm)<br>1 pump 370 l/min (14 cfm)<br>incl. AIRVENT 11660 in operation | 500 m³/h (310 cfm)            | 125 mm (5")        | 60 litres     | DIX11M   |

## DRESTER X-SERIES AUTOMATIC

### Automatic spray gun cleaner

- One automatic wash compartment for solvent or water-borne solvent
- Hand-switch operated
- Equipped with timer and compressed air dryer

#### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 835 mm (33")    |
| Max. depth         | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24")    |
| Weight             | 75 kg (165 lb)  |



#### DRESTER X-SERIES MANUAL

| Compressed air needed  | Ventilation capacity required | Extractor diameter | Max. dum size | Part.no. |
|--|-------------------------------|--------------------|---------------|----------|
| 7-12 bar (110-180 psi)<br>90 l/min. (3 cfm)<br>1 pump 370 l/min (14 cfm)<br>incl. AIRVENT 11660 in operation | 500 m³/h (310 cfm)            | 125 mm (5")        | 60 litres     | DIX11    |

## DRESTER X-SERIES DOUBLE

### Automatic and manual spray gun cleaner

- Automatic wash compartment for solvent or water-borne solvent
- Manual wash compartment cleaning of primer and filler tools, scrapers etc.
- Equipped with timer, solvent brush and compressed air dryer

#### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 1185 mm (33")   |
| Max. depth         | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24")    |
| Weight             | 95 kg (209 lb)  |



#### DRESTER X-SERIES DOUBLE

| Compressed air needed  | Ventilation capacity required | Extractor diameter | Max. dum size | Part.no. |
|--|-------------------------------|--------------------|---------------|----------|
| 7-12 bar (110-180 psi)<br>180 l/min. (6 cfm)<br>2 pumps 460 l/min (17 cfm)<br>incl. AIRVENT 11660 in operation | 600 m³/h (380 cfm)            | 125 mm (5")        | 60 litres     | DIX22    |





### DRESTER BOXER DOUBLE COMBO

#### Spray gun cleaner with two working stations

- Automatic wash compartment with integrated fluid channels
- Manual washing sink with a flow-through brush and a clean rinse nozzle
- Pneumatic extractor (Airvent) included



#### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 1185 mm (33")   |
| Max. depth         | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24")    |
| Weight             | 65 kg (210 lb)  |

#### DRESTER BOXER DOUBLE COMBO

| Compressed air needed                        | Ventilation capacity required  | Extractor diameter | Part.no.                                |
|--|--|--------------------|---|
| 7-12 bar (110-180 psi)<br>250 l/min. (9 cfm) | 140 m³/h / 82 cfm (15 m extension)<br>180 m³/h / 106 cfm (5 m extension) | 125 mm (5")        | DB22C (Blue)<br>DI22C (stainless steel) |



### DRESTER BOXER TRIPLE COMBO

#### Spray gun cleaner with three working stations

- Automatic wash compartment with integrated fluid channels
- Two manual washing sink with a flow-through brush and a clean rinse nozzle
- Automatic rinsing with clean solvent



#### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 1185 mm (33")   |
| Max. depth         | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24")    |
| Weight             | 95 kg (210 lb)  |

#### DRESTER BOXER TRIPLE COMBO

| Compressed air needed  | Ventilation capacity required | Extractor diameter | Part.no.                                |
|--|-------------------------------|--------------------|---|
| 7-12 bar (110-180 psi) 250 l/min (9 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660) | 500 m³/h (310 cfm)            | 125 mm (5")        | DB33C (Blue)<br>DI33C (stainless steel) |



### DRESTER BOXER QUATTRO COMBO

#### Spray gun cleaner with four working stations

- Two automatic wash compartment with integrated fluid channels
- Two manual washing sink with a flow-through brush and a clean rinse nozzle
- Automatic rinsing with clean solvent or water



#### DIMENSIONS

|                    |                 |
|--------------------|-----------------|
| Height             | 1510 mm (59.5") |
| Width              | 1185 mm (33")   |
| Max. depth         | 650 mm (25.5")  |
| Depth at the floor | 610 mm (24")    |
| Weight             | 105 kg (230 lb) |

#### DRESTER BOXER QUATTRO COMBO

| Compressed air needed  | Ventilation capacity required | Extractor diameter | Part.no.                                |
|--|-------------------------------|--------------------|---|
| 7-12 bar (110-180 psi) 250 l/min (9 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660) | 800 m³/h (310 cfm)            | 125 mm (5")        | DB44C (Blue)<br>DI44C (stainless steel) |



## DRESTER QUICKRINSE

### Efficient and user friendly pneumatic rinsing spray gun cleaner for use with disposable cup systems

*The Drester QuickRinse by Hedson has been developed to provide quick, thorough spray gun cleaning for water or solvent paints, especially for use with disposable cup system.*


Installation is simple and easy, either with the use of magnets for attachment to the booth or mixing room walls or more permanently with zip screws. Save time by keeping the spray gun cleaner close to the paint job.

- For all disposable cup system
- Perfectly clean spray gun in 10 seconds gives time and cost savings
- High-pressure cleaning for safe colour changes

#### DRESTER QR-10

##### Manual spray gun cleaner for water-borne paints

- Can be placed inside the spray booth
- Equipped with a diaphragm pump
- Automatic rinsing with clean solvent or water



##### DIMENSIONS

|        |                 |
|--------|-----------------|
| Height | 645 mm (25.5")  |
| Width  | 535 mm (21.0")  |
| Depth  | 263 mm (10.5")  |
| Weight | 12,5 kg (27 lb) |

##### DRESTER QR-10

| Compressed air needed                      | Pump capacity | Permitted solvents            | Liquid volume of machine | Part.no. |
|--|---------------|-------------------------------|--------------------------|----------|
| 5-12 bar (80-180 psi)<br>100 l/min (4 cfm) | 2 l/min       | Water or water-borne solvents | 5+5 litre                | QR-10    |



#### DRESTER QR-20

##### Manual spray gun cleaner for solvent based paints

- Also designed for cleaning with water, or water-based solvents
- Easy installation anywhere in the workshop




##### DIMENSIONS

|        |                |
|--------|----------------|
| Height | 461 mm (18.1") |
| Width  | 306 mm (12.1") |
| Depth  | 273 mm (10.8") |
| Weight | 6 kg (13.2 lb) |

##### DRESTER QR-20

| Compressed air needed                      | Pump capacity | Permitted solvents           | Liquid volume of machine                                   | Part.no. |
|--|---------------|------------------------------|--|----------|
| 5-12 bar (80-180 psi)<br>100 l/min (4 cfm) | 2 l/min       | Solvent and solvent mixtures | Amount of wash fluid depending on chosen size of container | QR-20    |



#### DRESTER QR-TT

##### Manual spray gun cleaner for both water-borne and solvent based paints

- Can be placed inside the spray booth if water-borne solvents are used
- Easy installation anywhere in the workshop



##### DIMENSIONS

|        |                |
|--------|----------------|
| Height | 667 mm (26.3") |
| Width  | 565 mm (22.2") |
| Depth  | 264 mm (10.4") |
| Weight | 16 kg (32 lb)  |

##### DRESTER QR-TT

| Compressed air needed                      | Pump capacity | Permitted solvents  | Liquid volume of machine  | Part.no. |
|--|---------------|---|---|----------|
| 5-12 bar (80-180 psi)<br>100 l/min (4 cfm) | 2 l/min       | LEFT BOX: Water or water-based solvents<br>RIGHT BOX: Solvents and solvent mixtures | 3 l/solvent (amount of water depending on chosen size of container) | QR-TT    |





## DRESTER DYNAMIC TRIPLE

**Better spray gun cleaning performance with an environmentally friendly closed system of handling solvents**


The transfer of the solvents between the spray gun cleaner and the recycler is fully automated; the dirty, heavy and hazardous manual solvent handling is eliminated and at the same time the equipment and floor in the workshop stays clean. Instantly after the transfer of solvents, access to clean solvent in the spray gun cleaner is available.

The system allows for the units to be placed either close together or in separate rooms up to 25 meters (subject to local fire legislation).

The convenient operation of the Drester Dynamic Triple by Hedson system encourages to run the system often.

This keeps the solvent in the spray gun cleaner in better condition, resulting in improved spray gun cleaning performance. The consumption of solvent is reduced, the waste of solvent is kept to a minimum and costs are cut dramatically.

- Reduced solvent consumption
- Improved spray gun cleaning performance
- Fully automated transfer between the spray gun cleaner and the recycler



**TO SETUP A DRESTER DYNAMIC TRIPLE YOU NEED THE FOLLOWING UNITS**

- 1 DRESTER SPRAY GUN CLEANER**
- 2 DOCKING UNIT**
- 3 RECYCLER**

### DRESTER RDX - DOCKING UNIT

- For solvent transfer in the Drester Dynamic Triple
- Includes an overflow protection.
- Can be placed inside the spray gun cleaners

#### DRESTER DOCKING UNIT

| Compressed air needed      | Solvent capacity | Pump capacity | Liquid pressure | Part.no.  |
|----------------------------|------------------|---------------|-----------------|---|
| Clean, dry air at 3-10 bar | Max. 80 litres   | 10 l/minutes  | 2 bar           | RDX-8012<br>Drester 2600, 3600 & 8000<br>RDX-9012<br>Drester Boxer Solvent, X-Series Manual |

#### DIMENSIONS

|            |                |
|------------|----------------|
| Height     | 590 mm (23")   |
| Width      | 1610 mm (63")  |
| Max. Depth | 120 mm (47")   |
| Weight     | 67 kg (148 lb) |



### DRESTER 120 - RECYCLER

- A solvent recycler in the Drester Dynamic Triple
- Recovers and recycles the solvent used in the spray gun cleaner
- Can also be used as a stand-alone product

#### DRESTER RECYCLER

| Type of solvents distillable | Boiler capacity | Residues discharge | Condensation system | Condensate material | Time/cycle | Voltage                           | Part.no. |
|------------------------------|-----------------|--------------------|---------------------|---------------------|------------|-----------------------------------|----------|
| Thinner type                 | 12 litres       | Plastic bag        | By air              | Stainless steel     | 3-4 hours  | 200-240 V single Phase 50 or 60Hz | DR-120-A |

#### DIMENSIONS

|          |                  |
|----------|------------------|
| Height   | 700 mm (17.5")   |
| Diameter | Ø 500 mm (19.5") |
| Weight   | 21 kg (46 lb)    |



## DRESTER WASTE MANAGEMENT

Safe and efficient way to get rid of paint residues and waste in the workshop

- Two compartments for easy separation of waste
- Equipped with two funnels with grids, for cans to be left to drain
- Flexible usage



**DRESTER WM-90-1**  
Two compartments for liquid waste



**DRESTER WM-90-2**  
One compartment for liquid and one for solid waste



**DRESTER WM-90-3**  
Two compartments for solid waste



### DRESTER WASTE MANAGEMENT

| Compressed air needed   | Extractor flange diameter                   | Part.no.                      |
|---|---|-------------------------------|
| 7-12 bar (110-180 psi) 450 l/min (16 cfm)<br>(if extraction is desired) | 125 mm (5") with flange<br>(part.no. 10187) | WM-90-1<br>WM-90-2<br>WM-90-3 |

### DIMENSIONS

|                           |               |
|---------------------------|---------------|
| <b>Height</b>             | 1025 mm (40") |
| - with hood               | 1470 mm (58") |
| - with hood & airvent     | 2230 mm (89") |
| <b>Width</b>              | 780 mm (31")  |
| <b>Depth at the floor</b> | 570 mm (23")  |
| <b>Weight</b>             | 42 kg (x lb)  |

## DRESTER MIXING TABLE

Keeps the mixing room structured

- Smart storage which gives efficient work flow
- Basic model with one shelf underneath
- Available in powder coated or stainless finish



### DRESTER MIXING TABLE

| Airvent diameters |         | Weight                         | Width   | Height  | Max. depth           | Part.no. |                                  |
|-------------------|---------|--------------------------------|---------|---------|----------------------|----------|----------------------------------|
| 14010             | Ø100 mm | Basic model                    | 30,0 kg | 1200 mm | Basic model          | 930 mm   | 565 mm<br>MT-120 (powder coated) |
| 14020/14040       | Ø125 mm | with slot extraction & airvent | 36,5 kg |         | With slot extraction | 1110 mm  |                                  |
|                   |         | with hood & airvent            | 45,0 kg |         | With hood            | 1470 mm  |                                  |
|                   |         |                                |         |         | Working height       | 905 mm   |                                  |

## HERKULES LACKY TABLE

Table with a lot of storage space suitable for the mixing room

- Storage space for painting materials and tools
- Lowered working surface
- Outflow tunnel and optimum solvent extraction

### HERKULES LACKY TABLE

| Width   | Overall Height | Depth  | Part.no.           |
|---------|----------------|--------|--------------------|
| 1200 mm | 1395 mm        | 650 mm | LT-05 <sup>1</sup> |
| 1800 mm | 1395 mm        | 650 mm | LT-06 <sup>1</sup> |

<sup>1</sup> Paper roll holder and extraction system available as accessories.





## DRESTER SPRAY GUN CLEANERS

### Basic features

|  | SOLVENT |       | AQUA  | COMBO |       |       | COMPACT |      |
|--|---------|-------|-------|-------|-------|-------|---------|------|
|  | DB22S   | DB44S | DB22A | DB22C | DB33C | DB44C | DC11    | DC12 |
| Unique magnetic gun holder, patent approved                        | •       | •     | •     | •     | •     | •     | •       | •    |
| Hands-free operation, foot-pedal operated                          | •       | •     | •     | •     | •     | •     | •       | •    |
| Optimized placements of nozzles, for superior cleaning             | •       | •     | •     | •     | •     | •     | •       | •    |
| Funnel for blow-out  | •       | •     | •     | •     | •     | •     | •       | •    |
| Air gun for drying   | •       | •     | •     | •     | •     | •     | •       | •    |
| Air supply line  | •       | •     | •     | •     | •     | •     | •       | •    |
| 3-year pump warranty   | •       | •     | •     | •     | •     | •     | •       | •    |
| Available with stainless cabinet                                   | •       | •     | •     | •     | •     | •     | •       | •    |
| ATEX category  | 2       | 2     | 2     | 2     | 2     | 2     | 2       | 2    |
| Automatic cleaning with re-circulating solvent                     | •       | •     |       | •     | •     | •     | •*      | •    |
| Automatic rinsing with clean solvent                               | •       | •     |       |       | •     | •     |         | •    |
| Automatic cleaning with re-circulating water-borne solution        |         |       | •     |       |       | •     | •*      |      |
| Automatic rinsing with clean water                                 |         |       | •     |       |       | •     |         |      |
| Flow-through brush fed with re-circulating solvent                 | •       | •     |       |       | •     | •     |         |      |
| Flow-through brush fed with re-circulating water-borne solution    |         |       | •     | •     | •     | •     |         |      |
| Hand-held rinse nozzle fed with clean solvent                      | •       | •     |       |       | •     | •     |         |      |
| Fixed rinse nozzle fed with clean solvent                          |         |       |       | •     |       |       | •       | •    |
| Hand-held rinse nozzle fed with clean water                        |         |       | •     | •     | •     | •     |         |      |
| Pneumatic extractor (Airvent) included                             |         |       | •     | •     |       |       | •       | •    |
| Extraction hood; use Airvent, Minivent or central extraction       | •       | •     |       |       | •     | •     |         |      |
| No. of pumps   | 2       | 4     | 2     | 2     | 3     | 4     | 1       | 2    |
| Can be connected to Drester recycler through a Docking unit (RDX)  | •       | •     |       | •**   | •     | •     | •       | •    |
| Rinse gun for high pressure water cleaning of paint channels       |         |       | •     | •     | •     | •     |         |      |
| Rinse gun can be set up to be fed with recycled water or tap water |         |       | •     |       |       | •     |         |      |
| Optional tap water kit, to feed tap water through rinse gun        |         |       |       | •     | •     |       |         |      |
| Automatic agitation when flocculating                              |         |       | •     | •     | •     | •     |         |      |
| Dual filter system for unsurpassed efficiency when recycling water |         |       | •     | •     | •     | •     |         |      |
| Automatic evacuation of filtrate container                         |         |       | •     |       |       | •     |         |      |

\* DC11 can be used for automatic cleaning with either solvent or waterborne solvent, such as Drester AquaSolve  
 \*\* RDX must be placed outside of the cabinet

## DRESTER SPRAY GUN CLEANERS

### Basic features

|   | CLASSIC |      |      |      |      | X-SERIES |         |         |
|---|---------|------|------|------|------|----------|---------|---------|
|   | 1000    | 1050 | 2600 | 3600 | 8000 | Manual   | Auto    | Double  |
| Manual wash with re-circulating solvent/recycled water            | •       | •    | •    |      |      | •        |         | •       |
| Manual clean rinse  | •       | •    | •    | •    | •    | •        | •       | •       |
| Foot-pedal operated   |         |      |      |      |      | •        |         |         |
| Hand-switch operated  |         |      |      |      |      |          | •       | •       |
| Air connection and funnel for spray out                           |         |      | •    | •    | •    | •        | •       | •       |
| Air gun for drying spray gun                                      |         | •    | •    |      |      | •        | •       | •       |
| Extraction unit (Airvent) included                                |         |      | •    | •    | •    | DIX11M-A | DIX11-A | DIX22-A |
| Number of pumps   | 1       | 1    | 1    | 1    | 2    | 1        | 1       | 2       |
| 3-year warranty on diaphragm pumps                                | •       | •    | •    | •    | •    | •        | •       | •       |
| Can be connected to Drester 120 with the Docking Unit RDX         |         |      | •    | •    | •    | •        | •       | •       |
| Can be used with water-borne paints                               | •       | •    |      |      | •    | •        | •       | •       |
| Specifically adapted for all water-borne paint systems            | •       | •    |      |      |      |          |         |         |
| Cleaning brush  | •       | •    | •    |      |      | •        | •       | •       |
| Rinse gun with nozzle for high pressure cleaning of paint channel | •       | •    |      |      |      |          |         |         |
| Automatic agitation during flocculation                           | •       | •    |      |      |      |          |         |         |
| Dual filter system for separation of paint sludge                 | •       | •    |      |      |      |          |         |         |
| Automatic evacuation of filtrate container                        | •       |      |      |      |      |          |         |         |
| Nozzle for quick cleaning of paint channels                       |         |      | •    |      |      |          |         |         |
| ATEX category   | 3       | 3    | 2    | 2    | 2    | 2        | 2       | 2       |

## DRESTER CONSUMABLES

| FILTERS   |   |
|---|---|
| <b>Part.no.</b>                                     | R8701 - Main filter (standard)<br>R8702 - Pre-filter (always to be used)<br>Delivered in 5 pcs. |
| <b>TO BE USED IN FOLLOWING DRESTER GUN CLEANERS</b> |   |
| Part.no.  | Description   |
| DB22A   | Drester Boxer Aqua  |
| DB22C   | Drester Boxer Double Combo  |
| DB33C   | Drester Boxer Triple Combo  |
| DB44C   | Drester Boxer Quattro Combo   |
| 1000  | Drester Classics 1000   |
| 1050  | Drester Classics 1050   |

| AQUASOLVE   |                                     |
|---|-------------------------------------|
| <b>Part.no.</b>                                     | 230120<br>Delivered in 1 L x 12 pcs |
| <b>TO BE USED IN FOLLOWING DRESTER GUN CLEANERS</b> |                                     |
| Part.no.  | Description                         |
| DB22A   | Drester Boxer Aqua                  |
| DB22C   | Drester Boxer Double Combo          |
| DB33C   | Drester Boxer Triple Combo          |
| DB44C   | Drester Boxer Quattro Combo         |
| 1000  | Drester Classics 1000               |
| 1050  | Drester Classics 1050               |
| QR-10   | Drester QuickRinse, water           |
| QR-TT   | Drester QuickRinse, water & solvent |



| FLOCCULATION POWDER                                 |                                    |
|---|------------------------------------|
| <b>Part.no.</b>                                     | 9211<br>Delivered in can / 1,5 kg. |
| <b>TO BE USED IN FOLLOWING DRESTER GUN CLEANERS</b> |                                    |
| Part.no.  | Description                        |
| DB22A   | Drester Boxer Aqua                 |
| DB22C   | Drester Boxer Double Combo         |
| DB33C   | Drester Boxer Triple Combo         |
| DB44C   | Drester Boxer Quattro Combo        |
| 1000  | Drester Classics 1000              |
| 1050  | Drester Classics 1050              |

## WE ARE HERE FOR YOU!

### Customer Service

Orders

General inquiries

Technical support

Orders (DE)

General inquiries (DE)

Technical support (DE)

order.a@hedson.com

info@hedson.com

support@hedson.com

bestellung@hedson.com

info.de@hedson.com

service.de@hedson.com

### Sales - Germany, Austria, Switzerland and the Netherlands

Jos Keijenberg, Sales leader & NL

Alex Kohl, West

Michael Eismann, Northeast

Hans-Joachim Draband, North

Hans-Juergen Dollmann, DE Southwest & CH

Sven Janssen, Southeast & AT

jos.keijenberg@hedson.com

alex.kohl@hedson.com

michael.eismann@hedson.com

hans-joachim.draband@hedson.com

hans-juergen.dollmann@hedson.com

sven.janssen@hedson.com

### Sales - France

Louis-Noël Chasseriaud

Cedric Desmettre

Daniel Jorge

louis-noel.chasseriaud@hedson.com

cedric.desmettre@hedson.com

daniel.jorge@hedson.com

### Sales - USA & Canada

Mike Bertrand

Shelley Featherstone

Colin Hammacott

mike.bertrand@hedson.com

shelley.featherstone@hedson.com

colin.hammacott@hedson.com

### Sales

Niklas Johansson, Sales Leader

Eva Löfgren, Nordics

Magnus Lojander, Nordics & UK

Janusz Deneka, Eastern Europe

Carlos Herrera, Spain & Portugal

Juan Alloza, China, South America, Korea

Gulsha Råjavan, APAC, Baltics & Balkan

niklas.johansson@hedson.com

eva.lofgren@hedson.com

magnus.lojander@hedson.com

janusz.deneka@hedson.com

carlos.herrera@hedson.com

juan.alloza@hedson.com

gulsha.rajavan@hedson.com