





# **MIXING ROOM EQUIPMENT**











### **DRESTER GUN CLEANERS - THE ORIGINAL**

Outstanding cleaning performance since 1978. Durable and sustainable solutions.

- Certified and patented products with superior quality
- Swedish inventions satisfying customer needs
- 3 years warranty on diaphragm pumps
- ATEX approved

APPROVED BY

**MAJOR SUPPLIERS** 

- Sustainable and durable solutions
- Offering the best working environment
- Manual or Automatic operation
- Approved by major spray gun suppliers

#### WATER-BORNE

These spray gun cleaners are suitable for water-borne cleaning and they all comply with all paint manufacturers systems regarding cleaning and waste handling.

PAGE 4

#### **SOLVENT BASED**

These spray gun cleaners are suitable for solvent based cleaning and they all fit the environment in which a spray gun cleaner

operates.

PAGE 5

#### **COMBINATION OF BOTH**

These spray gun cleaners are suitable for both solvent-based and water borne cleaning

PAGE 8









#### **DRESTER BOXER**

#### Superior gun cleaners to fit all the needs in the workshop

The Drester Boxer series are equipped with a Auto box - a compact, effective and flexible washing compartment - with integrated fluid channels, which makes less-cluttered space. The power of the pump results in more efficient cleaning, meaning that less cleaning solvents are needed per spray gun. The Auto box is located at the back of the unit, allowing a spacious manual washing sink at the front.

A magnetic gun holder pulls the trigger to open the paint channel and fixates a gun in seconds, in one simple step. It fixates the spray gun in a position where the gun's air channels are protected, facing downwards, so there is no risk of solvent entering the air channels.

#### EQUIPPED WITH SMART AUTO-BOX

PATENTED MAGNETIC GUN HOLDER

3 YEARS WARRANTY ON PUMPS

FOOT-OPERATED PUMPS FOR HANDS-FREE OPERATION



#### **DRESTER CLASSICS**

## Compact and user-friendly spray gun cleaners with outstanding cleaning performance

The Drester Classics by Hedson have been on the market for decades, which says a lot about their performance and value for the money. They are still very high in demand and remain a reliable choice. It has been dominating the water-borne cleaning market, and with its robustness and user-friendliness it still has no equivalent. The automatic Classics, for solvent, takes gravity-fed guns as well as old-style suction-fed guns.

#### **3 YEARS WARRANTY ON PUMPS**

ROUND SINK WITH NO WELDING SEAMS FOR EASY MAINTENANCE

MANUAL AND/OR AUTOMATIC CLEANING

WASHES ALL TYPES OF GUNS - SUCTION OR GRAVITY FED GUNS



#### **DRESTER X-SERIES**

## Reliable and sustainable spray gun cleaners with excellent cleaning performance

The robust Drester X-series by Hedson are aimed towards workshops and industries with a heavy work load, designed with a welded stainless platform to ensure durable sustainability and a long life. They are designed with a welded stainless platform and washes all types of guns. Includes a compressed air dryer. Chose between manual, automatic or double compartments.

#### **3 YEARS WARRANTY ON PUMPS**

ROBUST AND SUSTAINABLE FOR HEAVY WORK LOAD

ADJUSTABLE WASH CYCLE, 1-4 MIN

SPRAY GUN STORAGE, UP TO 7 GUN STORAGE

DRESTER BOXER AQUA

7-12 bar (110-180 psi)

250 l/min (9 cfm)

#### DRESTER BOXER AQUA

Compact size spray gun cleaner with two working stations

140 m<sup>3</sup>/h / 82 cfm (15 m extension) 80 mm (3.15")

180 m<sup>3</sup>/h / 106 cfm (5 m extension)

- Automatic and manual cleaning
- Built in filtration and flocculation to reduce waste cost
- Flow-through brush, which is fed with recycled water

Manual	Automatic	Water-born
	$\bigcirc$	

		DIMENSIONS	
		Height	1510 mm (59.5")
		Width	835 mm (33.0")
		Max depth	650 mm (25.5")
		Depth at the floor	610 mm (24.0")
Automatic	Water-borne	Weight	65 kg (140 lb)
Extract	or diameter	Part no	

Part.no. DB22A (Blue) DI22A (Stainless steel)

DIMENSIONS



#### **DRESTER CLASSIC 1000**

Compressed air needed Extraction capacity

#### Manual spray gun cleaner with brush and high pressure rinse gun

- Prepared for different set-ups depending on paint brand
- Foot operated for hands-free operation
- Built-in waste recycling system

- Dunt-in waste recy	ening system			Height		1220 mm (48")
				Diameter	r	Ø 590 mm (23")
DRESTER 1000		Manual	Water-borne	Weight		24 kg
Compressed air needed	Flow through brush	Liquid volum	e of mach	ine	Part.no.	
5-12 bar (80-180 psi) 100 l/min (4 cfm)	1,5-2 l/min	35   / 10 gallo	ons		1000	



#### **DRESTER CLASSIC 1050**

#### Manual spray gun cleaner with re-circulating water

- Pre-wash brush and a rinse gun fed with recycled water
- Manual cleaning with brush and high pressure rinse gun
- Quick connect whip line for blowing out the spray gun paint channel

-		DIMENS
		Height
		Diameter
Manual	Water-borne	Weight



1050



#### DRESTER 1050

Compressed air needed 5-12 bar (80-180 psi) 100 l/min (4 cfm)

Flow through brush 1,5-2 l/min

Liquid volume of machine 35 I / 10 gallons



From the land of engineering





#### DRESTER BOXER DOUBLE SOLVENT

#### Compact size spray gun cleaner with two working stations

500 m<sup>3</sup>/h (310 cfm)

Ventilation capacity required Extractor diameter

- Automatic cleaning with re-circulating solvent
- Equipped with a patented Auto box

DRESTER BOXER DOUBLE SOLVENT

DRESTER BOXER QUATTRO SOLVENT

7-12 bar (110-180 psi) 150 l/min

with DRESTER AIRVENT 11660)

Compressed air needed

(6 cfm) (450 l/min (16 cfm)

Compressed air needed

7-12 bar (110-180 psi)

150 l/min (6 cfm)

Flow-through brush fed with re-circulation solvent

DIMENSION
-----------

He Wi

125 mm (5")

Max depth	650 mm (25.5")
Depth at the floor	610 mm (24.0")
Weight	75 kg (165 lb)

DI22S (Stainless steel)

Part.no.





DRESTER BOXER QUATTRO SOLVENT

#### Full-size spray gun cleaner with four working stations

800 m<sup>3</sup>/h (500 cfm)

- Working stations can be used simultaneously
- Equipped with a patented Auto box
- Foot-operated pumps for hands-free operation

used simultaneously	DIMENSIONS	
ed Auto box	Height	1510 mm (
or hands-free operation	) Width	1185 mm (
	Max depth	650 mm (
()) (()) ())	Depth at the floor	610 mm (
Manual Automatic Solvent	Weight	105 kg (2
Manual Automatic Solvent		
Ventilation capacity required Ex	tractor diameter P	art.no.

DB44S (Blue)

(Stainless steel)

DI44S

125 mm (5")



#### DRESTER BOXER COMPACT

#### User-friendly spray gun cleaner with small footprint

- Automatic wash compartment with a automatic/manual clean rinse
- For solvent or water-borne solvent
- Fixed rinse nozzle fed with clean solvent

	0	(
Manual	Automatic	

DIMENSIONS	
Height	1830 mm (72")
Width	590 mm (23")
Weight	30 kg (66 lb)



DRESTER BOXER COMP	ACT 11	Weight		(0010)
Compressed air needed	Ventilation capacity required	Extractor diameter	Clean Rinse	Part.no.
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	180 mm (3.15")	Manual	DC11 (Blue) DC11-I (Stainless steel)
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	180 mm (3.15")	Automatic	DC12 (Blue) DC12-I (Stainless steel)

#### **DRESTER CLASSIC 2600**

#### Efficient and solvent saving manual clean rinse

- Manual cleaning with flow-through brush
- Foot operated for hands-free operation
- Manual clean rinse with venturi nozzle

			Height	990 mm (39")
	( )	) ( 🖕 )	Diameter	Ø 563 mm (22")
DRESTER CLASSIC 2600	Man	ual Solvent	Weight	30 kg (66 lb)
Compressed air needed	Ventilation capacity required	Extractor dian	neter Part.no.	
5-12 bar (80-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension) 180 m³/h / 106 cfm (5 m extension)	125 mm (5")	2600 (Blu 2600-INC	ue) DX (Stainless steel)



#### **DRESTER CLASSIC 3600**

#### Automatic spray gun cleaner with manual clean rinse

- Automatic cleaning with re-circulating solvent
- Manual rinse with clean solvent
- Equipped with air pressure regulator and water trap for durability

|--|

DIMENSIONS

990 mm (39")
Ø 563 mm (22")
30 kg (66 lb)



#### Solvent DRESTER 3600 Compressed air needed Ventilation capacity required Extractor diam 7-12 bar (110-180 psi) 140 m<sup>3</sup>/h / 82 cfm (15 m extension) 125 mm (5") 3600 (Blue) 250 l/min (9 cfm) 180 m<sup>3</sup>/h / 106 cfm (5 m extension) 3600-INOX (Stainless steel)

#### **DRESTER CLASSIC 8000**

#### Automatic spray gun cleaner with automatic and manual clean rinse

- Can be used with conventional or water-based paints
- Automatic cleaning with re-circulating solvent
- Automatic or manual rinse with clean solvent

Automatic or n	nanual rinse with clear	DIMENSIONS			
		$\bigcirc$	$\frown$	Height	990 mm (39")
		(~)		Diameter	Ø 563 mm (22")
				Weight	33 kg (73 lb)
DRESTER 8000	Automatic	Solvent	Water-borne		
Compressed air needed	Ventilation capacity required	Extrac	ctor diamete	r Part.no.	
7-12 bar (110-180 psi) 250 l/min (9 cfm)	140 m³/h / 82 cfm (15 m extension 180 m³/h / 106 cfm (5 m extension		nm (5″)	8000-A 8000-B (with	collecting tray base)



### **DRESTER X-SERIES MANUAL**

#### Manual spray gun cleaner

DRESTER X-SERIES MANUAL Compressed air needed

7-12 bar (110-180 psi)

90 l/min. (3 cfm) 1 pump 370 l/min (14 cfm) incl. AIRVENT 11660 in operation

One manual wash compartment with re-circulating solvent

500 m<sup>3</sup>/h (310 cfm)

Ventilation capacity required Extractor diameter

- Solvent flow is activated by a foot pedal
- Equipped with a solvent brush and compressed air dryer

DIMENSIONS
Height

125 mm (5")

Width	835 mm (33")
Max. depth	650 mm (25.5")
Depth at the floor	610 mm (24")
Weight	75 kg (165 lb)

Part.no.

DIX11M

Max. dum size

60 litres

# 1510 mm (59.5")

DRESTER



#### DRESTER X-SERIES AUTOMATIC

#### Automatic spray gun cleaner

- One automatic wash compartment for solvent or water-borne solvent
- Hand-switch operated
- Equipped with timer and compressed air d

ary	er	Widt
	$\frown$	Max
) (	( (	Dept

Water-bo

lian	neter Max. dum s	ize Part.no.
ne		
	Weight	75 kg (16
)	Depth at the floor	610 mm (
	Max. depth	650 mm (25
	Width	835 mm (
	Height	1510 mm (59

60 litres

DIX11

DIMENSIONS

DRESTER X-SERIES MANUAL Compressed air needed Ventilation capacity required Extractor diameter 7-12 bar (110-180 psi)

90 l/min. (3 cfm) 1 pump 370 l/min (14 cfm) incl. AIRVENT 11660 in operation

500 m<sup>3</sup>/h (310 cfm) 125 mm (5") n (59.5″) nm (33") n (25.5″) nm (24″) (165 lb) DRESTER



### **DRESTER X-SERIES DOUBLE**

#### Automatic and manual spray gun cleaner

- Automatic wash compartment for solvent or water-borne solvent
- Manual wash compartment cleaning of DIMENSIONS primer and filler tools, scrapers etc. 1510 mm (59.5") Height Equipped with timer, solvent brush and Width 1185 mm (33") compressed air dryer Max. depth 650 mm (25.5") 610 mm (24") Depth at the floor 95 kg (209 lb) Weight DRESTER X-SERIES DOUBLE Auto Compressed air needed Ventilation capacity required Extractor diameter Part.no. Max. dum size 7-12 bar (110-180 psi) 600 m<sup>3</sup>/h (380 cfm) 125 mm (5") 60 litres DIX22 180 l/min. (6 cfm) 2 pumps 460 l/min (17 cfm) incl. AIRVENT 11660 in operation



7



#### DRESTER BOXER DOUBLE COMBO

#### Spray gun cleaner with two working stations

- Automatic wash compartment with integrated fluid channels
- Manual washing sink with a flow-through brush and a clean rinse nozzle
- Pneumatic extractor (Airvent) included

#### DIMENSIONS Height

1510 mm (59.5")

					Width		1185 mm (33")
			$\bigcirc$	Max. depth		650 mm (25.5")	
	( 🍋 )		( 🕎		Depth at the	e floor	610 mm (24")
DRESTER BOXER DOUBLE COMBO	Manual	Automatic	Solvent	Water-borne	Weight		65 kg (210 lb)
Compressed air needed	Ventilation ca	pacity requ	uired	Extracto	or diameter	Part.no	•
7-12 bar (110-180 psi) 250 l/min. (9 cfm)	140 m³/h / 82 180 m³/h / 10	•	,	125 mm	(5")	DB22C DI22C	(Blue) (stainless steel)



Two manual washing sink with a flow-through brush and a clean rinse nozzle

Spray gun cleaner with three working stations

DRESTER BOXER TRIPLE COMBO

Automatic rinsing with clean solvent

DRESTER BOXER TRIPLE COMBO

7-12 bar (110-180 psi) 250 l/min (9

cfm) (450 l/min (16 cfm) with DRES-

Compressed air needed

TER AIRVENT 11660)

0		
Automatic	Solvent	Make

Ventilation capacity required

500 m³/h (310 cfm



DIMENSIONS

Height

Width

Max. depth

DB33C (Blue) DI33C (stainless steel)

1510 mm (59.5")

1185 mm (33") 650 mm (25.5")



DRESTER

#### DRESTER BOXER QUATTRO COMBO

#### Spray gun cleaner with four working stations

- Two automatic wash compartment with integrated fluid channels
- Two manual washing sink with a flow-through brush and a clean rinse nozzle
- Automatic rinsing with clean solvent or water

#### Depth at the floor 610 mm (24") 105 kg (230 lb) Weiaht DRESTER BOXER QUATTRO COMBO Solvent Water-born Compressed air needed Ventilation capacity required Extractor diameter Part.no. 7-12 bar (110-180 psi) 250 l/min (9 800 m³/h (310 cfm 125 mm (5") DB44C (Blue) cfm) (450 l/min (16 cfm) with DRESTER DI44C (stainless steel) **AIRVENT 11660)**







## DRESTER QUICKRINSE

### Efficient and user friendly pneumatic rinsing spray gun cleaner for use with disposable cup systems

The Drester QuickRinse by Hedson has been developed to provide guick, thorough spray gun cleaning for water or solvent paints, especially for use with disposable cup system.

Installation is simple and easy, either with the use of magnets for attachment to the booth or mixing room walls or more permanently with zip screws. Save time by keeping the spray gun cleaner close to the paint job.

### DRESTER QR-10

#### Manual spray gun cleaner for water-borne paints

- Can be placed inside the spray booth
- Equipped with a diaphragm pump
- Automatic rinsing with clean solvent or water

Pump capacity

2 l/min

DIMENSI	ONS
Height	645 mm (25.5")
Width	535 mm (21.0")
Depth	263 mm (10.5")
Weight	12,5 kg (27 lb)

Part no

OR-10

461 mm (18.1")

Liquid volume of machine

DIMENSIONS Height

Water-born

5+5 litre

For all disposable cup system

time and cost savings

Perfectly clean spray gun in 10 seconds gives

High-pressure cleaning for safe colour changes



#### **DRESTER QR-20**

DRESTER QR-10

100 l/min (4 cfm)

Compressed air needed

5-12 bar (80-180 psi)

#### Manual spray gun cleaner for solvent based paints

- Also designed for cleaning with water, or water-based solvents
- Easy installation anywhere in the workshop

				Width	306 mm (12.1")
			) (🍗)	Depth	273 mm (10.8")
				Weight	6 kg (13.2 lb)
DRESTER QR-20		Manual	Solvent		
Compressed air needed	Pump capacity	Permitted solvents	Liquid volu	me of machi	ne Part.no.
5-12 bar (80-180 psi) 100 l/min (4 cfm)	2 l/min	Solvent and solvent mixtures	Amount of depending	on chosen si	QR-20 ize

Permitted solvents

solvents

Water or water-borne



### DRESTER QR-TT

#### Manual spray gun cleaner for both water-borne and solvent based paints

Can be placed inside the spray booth if water-borne solvents are used DIMENSIONS Height 667 mm (26.3") Easy installation anywhere in the workshop Width 565 mm (22.2") 264 mm (10.4") Depth H<sub>2</sub>O 4 16 kg (32 lb) Weight DRESTER QR-TT Compressed air needed Pump capacity Permitted solvents Liquid volume of machine Part.no. DRESTER 5-12 bar (80-180 psi) LEFT BOX: Water or 2 l/min 3 l/solvent (amount of water QR-TT 100 l/min (4 cfm) water-based solvents depending on chosen size **RIGHT BOX: Solvents** of container) and solvent mixtures

### DRESTER DYNAMIC TRIPLE

### Better spray gun cleaning performance with an environmentally friendly closed system of handling solvents

dramatically.

1

The transfer of the solvents between the spray gun cleaner and the recycler is fully automated; the dirty, heavy and hazardous manual solvent handling is eliminated and at the same time the equipment and floor in the workshop stays clean. Instantly after the transfer of solvents, access to clean solvent in the spray gun cleaner is available.

The system allows for the units to be placed either close together or in separate rooms up to 25 meters (subject to local fire legislation).

The convenient operation of the Drester Dynamic Triple by Hedson system encourages to run the system often.



#### **DRESTER RDX - DOCKING UNIT**

- For solvent transfer in the Drester Dynamic Triple
- Includes an overflow protection.
- Can be placed inside the spray gun cleaners

DIMENSIONS	
Height	590 mm (23")
Width	1610 mm (63")
Max. Depth	120 mm (47")
Weight	67 kg (148 lb)

This keeps the solvent in the spray gun cleaner in better

waste of solvent is kept to a minimum and costs are cut

Improved spray gun cleaning performance

Fully automated transfer between the spray

TO SETUP A DRESTER DYNAMIC TRIPLE YOU NEED THE FOLLOWING UNITS

DRESTER SPRAY GUN CLEANER

condition, resulting in improved spray gun cleaning performance. The consumption of solvent is reduced, the

Reduced solvent consumption

gun cleaner and the recycler

DOCKING UNIT

RECYCLER

DRESTER DOCKING UNIT				
Compressed air needed	Solvent capacity	Pump capacity	Liquid pressure	Part.no.
Clean, dry air at 3-10 bar	Max. 80 litres	10 l/minutes	2 bar	RDX-8012 Drester 2600, 3600 & 8000
				RDX-9012 Drester Boxer Solvent, X-Series Manual

#### **DRESTER 120 - RECYCLER**

- A solvent recycler in the Drester Dynamic Triple
- Recovers and recycles the solvent used in the spray gun cleaner
- Can also be used as a stand-alone product

	DIMENSIONS	
	Height	700 mm (17.5")
	Diameter	Ø 500 mm (19.5")
	Weight	21 kg (46 lb)
ne/cycle	e Voltage	Part.no.

				<u> </u>	Veight	21 kg (46 lb)
Boiler capacity	Residues discharge	Condensation system	Condensate material	Time/cycle	Voltage	Part.no.
12 litres	Plastic bag	By air	Stainless steel	3-4 hours	200-240 V single Phase 50 or 60Hz	







DRESTER RECYCLER Type of solvents

distillable Thinner type

10



#### DRESTER WASTE MANAGEMENT

#### Safe and efficient way to get rid of paint residues and waste in the workshop

- Two compartments for easy separation of waste
- Equipped with two funnels with grids, for cans to be left to drain
- Flexible usage





DRESTER WM-90-2

one for solid waste

DRESTER WM-90-1 Two compartments for liquid waste

#### DRESTER WASTE MANAGEMENT

Compressed air needed 7-12 bar (110-180 psi) 450 l/min (16 cfm)

Extractor flange diameter	Part.no.
125 mm (5") with flange	WM-90-1
(part.no. 10187)	WM-90-2
,	WM-90-3

One compartment for liquid and





DRESTER WM-90-3 Two compartments for solid waste

DIMENSIONS

Height	1025 mm (40")
- with hood	1470 mm (58")
- with hood & airvent	2230 mm (89")
Width	780 mm (31")
Depth at the floor	570 mm (23")
Weight	42 kg (x lb)

(if extraction is desired)

Extractor flange diameter	Part.no.
125 mm (5″) with flange (part.no. 10187)	WM-90-1 WM-90-2
(part.10. 10107)	WM-90-3



#### **DRESTER MIXING TABLE**

Keeps the mixing room structured

- Smart storage which gives efficient work flow
- Basic model with one shelf underneath
- Available in powder coated or stainless finish

DRESTER MIX	ING TABLE								
Airvent diame	eters	Weight		Width	Height		Max. depth	Part.no.	
14010 14020/14040	Ø100 mm Ø125 mm	Basic model with slot extraction & airvent with hood & airvent	, 0	1200 mm	Basic model With slot extraction With hood Working height	930 mm 1110 mm 1470 mm 905 mm	565 mm	MT-120 (powder coated)	

#### HERKULES LACKY TABLE

#### Table with a lot of storage space suitable for the mixing room

- Storage space for painting materials and tools
- Lowered working surface
- Outflow tunnel and optimum solvent extraction

HERKULES L	ACKY TABLE		
Width	<b>Overall Height</b>	Depth	Part.no.
1200 mm	1395 mm	650 mm	LT-051
1800 mm	1395 mm	650 mm	LT-061
<sup>1)</sup> Paper roll bo	older and extraction sy	stem available	as accessories



# **DRESTER SPRAY GUN CLEANERS**

### **Basic features**

	SOL	SOLVENT		SOLVENT AQUA			сомво	COMPACT		
	DB22S	DB44S	DB22A	DB22C	DB33C	DB44C	DC11	DC12		
Unique magnetic gun holder, patent approved	•	•	•	•	•	•	•	•		
Hands-free operation, foot-pedal operated	•	•	•	•	•	•	•	•		
Optimized placements of nozzles, for superior cleaning	•	•	•	•	•	•	•	•		
Funnel for blow-out	•	•	•	•	•	•	•	•		
Air gun for drying	•	•	•	•	•	•	•	•		
Air supply line	•	•	•	•	•	•	•	•		
3-year pump warranty	•	•	•	•	•	•	•	•		
Available with stainless cabinet	•	•	•	•	•	•	•	•		
ATEX category	2	2	2	2	2	2	2	2		
Automatic cleaning with re-circulating solvent	•	•		•	•	•	•*	•		
Automatic rinsing with clean solvent	•	•			•	•		•		
Automatic cleaning with re-circulating water-borne solution			•			•	•*			
Automatic rinsing with clean water			•			•				
Flow-through brush fed with re-circulating solvent	•	•			•	•				
Flow-through brush fed with re-circulating water-borne solution			•	•	•	•				
Hand-held rinse nozzle fed with clean solvent	•	•			•	•				
Fixed rinse nozzle fed with clean solvent				•			•	•		
Hand-held rinse nozzle fed with clean water			•	•	•	•				
Pneumatic extractor (Airvent) included			•	•			•	•		
Extraction hood; use Airvent, Minivent or central extraction	•	•			•	•				
No. of pumps	2	4	2	2	3	4	1	2		
Can be connected to Drester recycler through a Docking unit (RDX)	•	•		•**	•	•	•	•		
Rinse gun for high pressure water cleaning of paint channels			•	•	•	•				
Rinse gun can be set up to be fed with recycled water or tap water			•			•				
Optional tap water kit, to feed tap water through rinse gun				•	•					
Automatic agitation when flocculating			•	•	•	•				
Dual filter system for unsurpassed efficiency when recycling water			•	•	•	•				
Automatic evacuation of filtrate container			•			•				



## **DRESTER SPRAY GUN CLEANERS**

### **Basic features**

Basic features			CLASSI	C	X-SERIES			
	1000	1050	2600	3600	8000	Manual	Auto	Double
Manual wash with re-circulating solvent/recycled water	•	•	•			•		•
Manual clean rinse	•	•	•	•	•	•	•	•
Foot-pedal operated						•		
Hand-switch operated							•	•
Air connection and funnel for spray out			•	•	•	•	•	•
Air gun for drying spray gun		•	•			•	•	•
Extraction unit (Airvent) included			•	•	•	DIX11M-A	DIX11-A	DIX22-A
Number of pumps	1	1	1	1	2	1	1	2
3-year warranty on diaphragm pumps	•	•	•	•	•	•	•	•
Can be connected to Drester 120 with the Docking Unit RDX			•	•	•	•	•	•
Can be used with water-borne paints	•	•			•	•	•	•
Specifically adapted for all water-borne paint systems	•	•						
Cleaning brush	•	•	•			•	•	•
Rinse gun with nozzle for high pressure cleaning of paint channel	•	•						
Automatic agitation during flocculation	•	•						
Dual filter system for separation of paint sludge	•	•						
Automatic evacuation of filtrate container	•							
Nozzle for quick cleaning of paint channels			•					
ATEX category	3	3	2	2	2	2	2	2

## **DRESTER CONSUMABLES**

	FILTERS
Part.no.	R8701 - Main filter ( <i>standard)</i> R8702 - Pre-filter ( <i>always to be used)</i> Delivered in 5 pcs.
TO BE USI GUN CLEA	ED IN FOLLOWING DRESTER ANERS
Part.no.	Description
DB22A	Drester Boxer Aqua
DB22C	Drester Boxer Double Combo
DB33C	Drester Boxer Triple Combo
DB44C	Drester Boxer Quattro Combo
1000	Drester Classics 1000
1000	

	AQUASOLVE
Part.no.	230120 Delivered in 1 L x 12 pcs
TO BE US GUN CLE	ED IN FOLLOWING DRESTER ANERS
Part.no.	Description
DB22A	Drester Boxer Aqua
DB22C	Drester Boxer Double Combo
DB33C	Drester Boxer Triple Combo
DB44C	Drester Boxer Quattro Combo
1000	Drester Classics 1000
1050	Drester Classics 1050
QR-10	Drester QuickRinse, water
QR-TT	Drester QuickRinse, water & solvent



FI	LOCCULATION POWDER
Part.no.	9211 Delivered in can / 1,5 kg.
TO BE USE GUN CLEA	ED IN FOLLOWING DRESTER INERS
Part.no.	Description
DB22A	Drester Boxer Aqua
DB22C	Drester Boxer Double Combo
DB33C	Drester Boxer Triple Combo
DB44C	Drester Boxer Quattro Combo
1000	Drester Classics 1000
1050	Drester Classics 1050



### WE ARE HERE FOR YOU!

#### **Customer Service**

Orders

General inquiries Technical support Orders (DE) General inquiries (DE) Technical support (DE)

Sales - Germany, Austria, Switzerland and the Netherlands

Jos Keijenberg, Sales leader & NL Alex Kohl, West Michael Eismann, Northeast Hans-Joachim Draband, North Hans-Juergen Dollmann, DE Southwest & CH Sven Janssen, Southeast & AT Sales - France Cedric Desmettre Daniel Jorge Sales - USA & Canada Mike Bertrand

Shelley Featherstone Colin Hammacott Sales

Niklas Johansson, Sales Leader Eva Löfgren, Nordics, Baltics Magnus Lojander, Nordics & UK Janusz Deneka, Eastern Europe Carlos Herrera, Spain & Portugal Juan Alloza, Asia/South Pacific, Latin America order.a@hedson.com info@hedson.com support@hedson.com bestellung@hedson.com info.de@hedson.com service.de@hedson.com

jos.keijenberg@hedson.com alex.kohl@hedson.com michael.eismann@hedson.com hans-joachim.draband@hedson.com hans-juergen.dollmann@hedson.com sven.janssen@hedson.com

cedric.desmettre@hedson.com daniel.jorge@hedson.com

mike.bertrand@hedson.com shelley.featherstone@hedson.com colin.hammacott@hedson.com

niklas.johansson@hedson.com eva.lofgren@hedson.com magnus.lojander@hedson.com janusz.deneka@hedson.com carlos.herrera@hedson.com juan.alloza@hedson.com



© Hedson Technologies AB 2022 The manufacturer reserves the right to introduce technical modifications.

٠

**Germany** Phone +49 561-589070 **North America** Phone +1 905-339 28 00