# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

| 1.1. Product identifier         Trade name         DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794         Article No.         230852         1.2. Relevant identified uses of the substance or mixture and uses advised against         Relevant identified uses         Washing of vehicle wheels         1.3. Details of the supplier of the safety data sheet         Supplier         Hedson Technologies AB         Address         Hammarv. 4         SE - 232 37 Ariov         Sweden         Telephone         +46 40 53 42 00         Email         info@hedson.se         1.4. Emergency telephone number         NHS 111         Available outside office hours         Yes | SECTI      | ON 1: Identification of the substance/mixture and of the company/undertaking |
|---|------------|--|
| 230852 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Washing of vehicle wheels 3.3. Details of the supplier of the safety data sheet Supplier Hedson Technologies AB Address Hammarv. 4 SE - 232 37 Arlöv Sweden Telephone +46 40 53 42 00 Email info@hedson.se 1.4. Emergency telephone number NHS 111 Available outside office hours Yes  | <u>Tra</u> | ade name   |
| Relevant identified uses         Washing of vehicle wheels         1.3. Details of the supplier of the safety data sheet         Supplier         Hedson Technologies AB         Address         Hammarv. 4         SE - 232 37 Arlöv         Sweden         Telephone         +46 40 53 42 00         Email         info@hedson.se         1.4. Emergency telephone number         NHS 111         Available outside office hours         Yes  |            |  |
| Washing of vehicle wheels  1.3. Details of the supplier of the safety data sheet Supplier Hedson Technologies AB  Address Hammarv. 4 SE - 232 37 Arlöv Sweden  Telephone +46 40 53 42 00  Email info@hedson.se  1.4. Emergency telephone number NHS 111  Available outside office hours Yes   | 1.2. Rel   | levant identified uses of the substance or mixture and uses advised against  |
| Washing of vehicle wheels  1.3. Details of the supplier of the safety data sheet Supplier Hedson Technologies AB  Address Hammarv. 4 SE - 232 37 Arlöv Sweden  Telephone +46 40 53 42 00  Email info@hedson.se  1.4. Emergency telephone number NHS 111  Available outside office hours Yes   | Re         | levant identified uses   |
| Supplier         Hedson Technologies AB         Address         Hammarv. 4         SE - 232 37 Arlöv         Sweden         Telephone         +46 40 53 42 00         Email         info@hedson.se         1.4. Emergency telephone number         NHS 111         Available outside office hours         Yes   |            |  |
| Hedson Technologies AB<br>Address<br>Hammarv. 4<br>SE - 232 37 Arlöv<br>Sweden<br>Telephone<br>+46 40 53 42 00<br>Email<br>info@hedson.se<br>1.4. Emergency telephone number<br>NHS 111<br><u>Available outside office hours</u><br>Yes   | 1.3. Det   | tails of the supplier of the safety data sheet                               |
| Hedson Technologies AB<br>Address<br>Hammarv. 4<br>SE - 232 37 Arlöv<br>Sweden<br>Telephone<br>+46 40 53 42 00<br>Email<br>info@hedson.se<br>1.4. Emergency telephone number<br>NHS 111<br><u>Available outside office hours</u><br>Yes   | Su         | pplier   |
| Hammarv. 4<br>SE - 232 37 Arlöv<br>Sweden<br>Telephone<br>+46 40 53 42 00<br>Email<br>info@hedson.se<br>1.4. Emergency telephone number<br>NHS 111<br><u>Available outside office hours</u><br>Yes  |            |  |
| SE - 232 37 Arlöv<br>Sweden<br>Telephone<br>+46 40 53 42 00<br>Email<br>info@hedson.se<br>1.4. Emergency telephone number<br>NHS 111<br><u>Available outside office hours</u><br>Yes  | Ade        | dress  |
| Sweden<br>Telephone<br>+46 40 53 42 00<br>Email<br>info@hedson.se<br>1.4. Emergency telephone number<br>NHS 111<br>Available outside office hours<br>Yes  | Ha         | mmarv. 4   |
| Sweden   Telephone   +46 40 53 42 00   Email   info@hedson.se     1.4. Emergency telephone number   NHS 111   Available outside office hours   Yes  | SE         | - 232 37 Arlöv   |
| +46 40 53 42 00<br>Email<br>info@hedson.se<br><b>1.4. Emergency telephone number</b><br>NHS 111<br><u>Available outside office hours</u><br>Yes   |            |  |
| +46 40 53 42 00<br>Email<br>info@hedson.se<br><b>1.4. Emergency telephone number</b><br>NHS 111<br><u>Available outside office hours</u><br>Yes   | Tel        | lephone  |
| info@hedson.se 1.4. Emergency telephone number NHS 111  Available outside office hours Yes  |            | •  |
| <ul> <li>1.4. Emergency telephone number<br/>NHS 111</li> <li><u>Available outside office hours</u><br/>Yes</li> </ul>  | Em         | nail   |
| NHS 111<br><u>Available outside office hours</u><br>Yes   | info       | b@hedson.se  |
| <u>Available outside office hours</u><br>Yes  | 1.4. Em    | ergency telephone number   |
| Yes   | NH         | IS 111   |
|   | Av         | ailable outside office hours   |
|   | Ye         | S  |
|   |            |  |
|   |            |  |

## 2.1. Classification of the substance or mixture

The product is not classified as hazardous according to Regulation (EC) No 1272/2008.

#### 2.2. Label elements

The product does not require labelling in accordance with Regulation (EC) No 1272/2008.

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

#### 2.3. Other hazards

This product does not contain any PBT or vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

| Chemical name                       | CAS No.<br>EC No.<br>REACH No.<br>Index No. | Concentration | Classification | H-phrase<br>M factor acute<br>M factor chronic | Note |
|-------------------------------------|---|---------------|----------------|--|------|
| Etylen Vinyl acetate Copoly-<br>mer | 24937-78-8<br>607-457-0<br>-<br>-           | 30 - 70%      | -              | -  | -    |
| Homopolymer polyethylene            | 9002-88-4<br>618-339-3<br>-<br>-            | 30 - 60%      | -              | -  | -    |
| Minerals                            |   | <10%          | -              | -  | -    |
| Pigments and additives              | -<br>-<br>-                                 | <2%           | -              | -  | -    |

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory problems, artificial respiration/oxygen. Get medical advice/attention if you feel unwell.

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

#### Skin contact

Wash with plenty of water/soap.

#### Eye contact

Rinse immediately with plenty of water, also under the eyelids. If eye irritation persists: Get medical help.

#### Ingestion

Rinse mouth. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

- **4.2. Most important symptoms and effects, both acute and delayed** Not known.
- **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media <u>Suitable extinguishing media</u> Water spray, foam, dry powder or carbon dioxide.

<u>Unsuitable extinguishing media</u> Do not use water jet as an extinguisher, as this will spread the fire.

- **5.2. Special hazards arising from the substance or mixture** In case of fire, toxic gases may be formed (COx, NOx).
- 5.3. Advice for firefighters <u>Special protective equipment for fire-fighters</u> Wear a self-contained breathing apparatus and chemical protective clothing.

## **SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures** Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Stop leak if possible without risk. Ventilate the area. Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses.

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

## 6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

## 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Preventive handling precautions

No specific precautions.

#### General hygiene

Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool and well-ventilated place. Store in a dry place. Protect from heat and direct sunlight. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

#### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Exposure limits

No occupational exposure limit assigned.

#### 8.2. Exposure controls

#### Eye / face protection

Under normal conditions of use eye protection is not required.

#### Hand protection

When handling hot material, use heat resistant gloves. Suitable gloves can be recommended by the glove supplier.

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

### Other skin protection

Body protection: not required. Recommendation : Long sleeved clothing.

#### Respiratory protection

Respiratory protection not required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

*Physical state* Pellets.

<u>Colour</u> various

<u>Odour</u>

Vinegar.

<u>Melting point / freezing point</u> 50 - 125 °C

*Boiling point or initial boiling point and boiling range* No data available

*Flammability* No data available

Lower and upper explosion limit

No data available

*Flash point* 260 °C

<u>Auto-ignition temperature</u> No data available

**Decomposition temperature** 

No data available

*pH* No data available

## DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

*Kinematic viscosity* No data available

<u>Solubility</u> No data available

Water solubility

*Partition coefficient n-octanol/water* No data available

Vapour pressure No data available

Density and/or relative density 0.8 - 1 g/cm<sup>3</sup>

*Relative vapour density* No data available

*Particle characteristics* No data available

9.2. Other information No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Not reactive under normal conditions.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

#### 10.5. Incompatible materials

Oxidising substances , halogenated compounds . Acids.

#### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. In case of fire may be liberated: Hydrocarbons , Formaldehyde , Acrolein .

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Not applicable.

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

## 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Acute toxicity

The product is not expected to be hazardous to the environment.

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## Disposal considerations

Dispose of waste and residues in accordance with local authority requirements.

## DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

## **SECTION 14: Transport information**

#### 14.1. UN number

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

- 14.2. UN proper shipping name Not applicable
- 14.3. Transport hazard class(es) Not applicable
- **14.4. Packing group** Not applicable
- 14.5. Environmental hazards Not applicable
- 14.6. Special precautions for user Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments Not applicable

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

EU Regulation (EC) No. 1907/2006 (REACH)

#### National regulations

EH40/2005 Workplace exposure limits as amended Control of Substances Hazardous to Health Regulations (COSHH) The GB Classification Labelling and Packaging Regulation (GB CLP) - Retained CLP Regulation (EU) No. 1272/2008 as amended for Great Britain UK Staturory Instrument 2021 No. 904 The REACH etc. (Amendment) Regulations 2021

# DRESTER DOUBLE POWER SHOT MEDIUM BY HEDSON 230794

Version number: 4 Issued: 2023-11-22 Replaces SDS: 2021-09-02

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

#### Changes to previous revision

Amendments made in accordance with Commission regulation (EU) 2020/878 of 18 June 2020 amending Annex II to REACH.

#### **Abbreviations**

PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative. CLP: Classification, Labelling and Packaging REACH Registration, Evaluation and Authorization of Chemicals CAS: Chemical Abstracts Service